

# S45C

加工素材サイズ重量表

外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)
21.7	13.7	4.0		1.7	38.1	20.1	9.0	○	6.5	50.8	14.8	18.0	○	14.6
	11.7	5.0		2.1		19.1	9.5		6.7	54.0	46.0	4.0	○	4.9
	9.7	6.0		2.3		18.1	10.0	○	6.9		44.0	5.0	○	6.0
	7.7	7.0		2.5	40.0	30.0	5.0	○	4.3		42.0	6.0	○	7.1
25.4	20.8	2.3		1.3		28.0	6.0	○	5.0		40.0	7.0	○	8.1
	19.8	2.8		1.6		26.0	7.0	○	5.7		39.0	7.5		8.6
	19.0	3.2		1.8		24.0	8.0	○	6.3		38.0	8.0	○	9.1
	18.4	3.5	○	1.9		22.0	9.0	○	6.9		34.0	10.0	○	10.9
	17.4	4.0	○	2.1		20.0	10.0	○	7.4		30.0	12.0	○	12.4
	16.4	4.5		2.3	42.7	36.3	3.2		3.1		26.0	14.0	○	13.8
	15.4	5.0	○	2.5		35.7	3.5		3.4		24.0	15.0	○	14.4
	13.4	6.0	○	2.9		34.7	4.0	○	3.8		18.0	18.0	○	16.0
	11.4	7.0	○	3.2		33.7	4.5	○	4.2	57.0	49.0	4.0		5.2
27.2	21.6	2.8		1.7		32.7	5.0	○	4.6		48.0	4.5		5.8
	20.8	3.2		1.9		31.7	5.5		5.0		47.0	5.0	○	6.4
	20.2	3.5		2.0		30.7	6.0	○	5.4		46.0	5.5		7.0
	19.2	4.0	○	2.3		29.9	6.4		5.7		45.0	6.0	○	7.5
	18.2	4.5		2.5		28.7	7.0	○	6.2		43.0	7.0	○	8.6
	17.2	5.0	○	2.7		26.7	8.0	○	6.8		41.0	8.0	○	9.7
	16.2	5.5		2.9		25.7	8.5	○	7.2		39.0	9.0		10.7
	15.2	6.0	○	3.1		22.7	10.0	○	8.1		37.0	10.0	○	11.6
	13.2	7.0	○	3.5		18.7	12.0	○	9.1		33.0	12.0	○	13.3
	11.2	8.0	○	3.8		12.7	15.0		10.2		27.0	15.0	○	15.5
30.0	22.0	4.0	○	2.6	45.0	37.0	4.0	○	4.0		21.0	18.0	○	17.3
	20.0	5.0	○	3.1		36.0	4.5	○	4.5	60.5	52.5	4.0	○	5.6
	18.0	6.0	○	3.6		35.0	5.0	○	4.9		50.5	5.0	○	6.8
	16.0	7.0	○	4.0		33.0	6.0	○	5.8		48.5	6.0	○	8.1
	14.0	8.0	○	4.3		31.0	7.0	○	6.6		47.5	6.5		8.7
31.8	25.4	3.2		2.3		29.0	8.0	○	7.3		46.5	7.0	○	9.2
	24.8	3.5		2.4		27.0	9.0	○	8.0		44.5	8.0	○	10.4
	23.8	4.0	○	2.7		25.0	10.0	○	8.6		42.5	9.0		11.4
	22.8	4.5		3.0		23.0	11.0		9.2		40.5	10.0	○	12.5
	21.8	5.0	○	3.3		21.0	12.0	○	9.8		36.5	12.0	○	14.4
	20.8	5.5		3.6		15.0	15.0		11.1		30.5	15.0	○	16.8
	19.8	6.0	○	3.8	48.6	41.6	3.5		3.9		24.5	18.0	○	18.9
	17.8	7.0	○	4.3		40.6	4.0	○	4.4	62.0	42.0	10.0		12.8
	15.8	8.0	○	4.7		39.6	4.5		4.9	63.5	55.5	4.0		5.9
	13.8	9.0		5.1		38.6	5.0	○	5.4		54.5	4.5		6.5
34.0	27.6	3.2	○	2.4		37.6	5.5		5.8		53.5	5.0	○	7.2
	27.0	3.5		2.6		36.6	6.0	○	6.3		51.5	6.0	○	8.5
	26.0	4.0	○	3.0	48.6	34.6	7.0	○	7.2		49.5	7.0	○	9.8
	25.0	4.5	○	3.3		32.6	8.0	○	8.0		47.5	8.0	○	10.9
	24.0	5.0	○	3.6		30.6	9.0	○	8.8		43.5	10.0	○	13.2
	23.0	5.5		3.9		28.6	10.0	○	9.5		39.5	12.0	○	15.2
	22.0	6.0	○	4.1		24.6	12.0	○	10.8		33.5	15.0	○	17.9
	21.2	6.4	○	4.4		18.6	15.0	○	12.4		27.5	18.0	○	20.2
	20.0	7.0	○	4.7	50.8	43.8	3.5		4.1		23.5	20.0		21.5
	18.0	8.0	○	5.1		42.8	4.0		4.6	65.0	55.0	5.0	○	7.4
	16.0	9.0	○	5.5		40.8	5.0	○	5.6		53.0	6.0	○	8.7
	14.0	10.0	○	5.9		38.8	6.0	○	6.6		51.0	7.0	○	10.0
38.1	31.7	3.2		2.8		37.8	6.5		7.1		49.0	8.0	○	11.2
	31.1	3.5		3.0		36.8	7.0	○	7.6		47.0	9.0		12.4
	30.1	4.0	○	3.4		34.8	8.0	○	8.4		45.0	10.0	○	13.6
	29.1	4.5	○	3.7		33.8	8.5		8.9		41.0	12.0	○	15.7
	28.1	5.0	○	4.1		32.8	9.0		9.3		35.0	15.0	○	18.5
	27.1	5.5		4.4		30.8	10.0	○	10.1		29.0	18.0	○	20.9
	26.1	6.0	○	4.7		26.8	12.0	○	11.5		28.0	18.5		21.2
	24.1	7.0	○	5.4		22.8	14.0	○	12.7		25.0	20.0		22.2
	22.1	8.0	○	5.9		20.8	15.0	○	13.2					

※基本サイズ欄に○がついてない材料についてはお問い合わせください。  
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekoku.com

# S45C

加工素材サイズ重量表

外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)
68.1	52.1	8.0	○	11.9	82.6	62.6	10.0	○	17.9	96.0	36.0	30.0		48.8
	48.1	10.0		14.3		58.6	12.0	○	20.9	97.0	76.0	10.5		22.4
	44.1	12.0		16.6		56.6	13.0		22.3	101.6	85.6	8.0	○	18.5
	38.1	15.0	○	19.6		52.6	15.0	○	25.0		83.6	9.0		20.6
	37.1	15.5		20.1		46.6	18.0	○	28.7		81.6	10.0	○	22.6
70.0	60.0	5.0	○	8.0		42.6	20.0	○	30.9		77.6	12.0	○	26.5
	58.0	6.0	○	9.5		38.6	22.0	○	32.9		75.6	13.0		28.4
	56.0	7.0	○	10.9		32.6	25.0	○	35.5		74.6	13.5		29.3
	54.0	8.0	○	12.2		22.6	30.0		38.9		71.6	15.0	○	32.0
	52.0	9.0		13.5	83.5	53.5	15.0		25.3		65.6	18.0	○	37.1
	50.0	10.0	○	14.8	85.0	70.0	7.5		14.3		61.6	20.0	○	40.2
	48.0	11.0		16.0		69.0	8.0	○	15.2		57.6	22.0		43.2
	46.0	12.0	○	17.2		65.0	10.0	○	18.5		55.6	23.0		44.6
	44.0	13.0		18.3		61.0	12.0	○	21.6		51.6	25.0	○	47.2
	40.0	15.0	○	20.3		55.0	15.0	○	25.9		41.6	30.0	○	53.0
	34.0	18.0	○	23.1		49.0	18.0	○	29.7		31.6	35.0	○	57.5
	30.0	20.0	○	24.7		45.0	20.0	○	32.1	102.5	78.5	12.0		26.8
72.0	52.0	10.0		15.3		37.0	24.0		36.1		76.5	13.0		28.7
73.0	63.0	5.0		8.4		35.0	25.0	○	37.0		70.5	16.0		34.1
	61.0	6.0	○	9.9		25.0	30.0		40.7		66.5	18.0		37.5
	59.0	7.0	○	11.4	87.0	72.0	7.5		14.7	105.0	95.0	5.0		12.3
	57.0	8.0	○	12.8		67.0	10.0		19.0		89.0	8.0		19.1
	53.0	10.0	○	15.5	89.1	75.1	7.0		14.2		85.0	10.0	○	23.4
	49.0	12.0	○	18.1		73.1	8.0	○	16.0		81.0	12.0	○	27.5
	47.0	13.0	○	19.2		71.1	9.0		17.8		75.0	15.0	○	33.3
	43.0	15.0	○	21.5		69.1	10.0	○	19.5		69.0	18.0	○	38.6
73.0	41.0	16.0	○	22.5		67.1	11.0		21.2		65.0	20.0	○	41.9
	39.0	17.0		23.5		66.9	11.1		21.4		55.0	25.0	○	49.3
	37.0	18.0	○	24.4		65.1	12.0	○	22.8		45.0	30.0	○	55.5
	33.0	20.0	○	26.1		61.1	14.0		25.9		35.0	35.0		60.4
	23.0	25.0	○	29.6		59.1	15.0	○	27.4	108.0	92.0	8.0		19.7
76.3	66.3	5.0	○	8.8		53.1	18.0	○	31.6		87.0	10.5		25.2
	64.3	6.0	○	10.4		52.1	18.5		32.2		86.0	11.0		26.3
	62.3	7.0	○	12.0		49.1	20.0	○	34.1		78.0	15.0		34.4
	60.3	8.0	○	13.5		45.1	22.0		36.4		75.0	16.5		37.2
	58.3	9.0		14.9		39.1	25.0	○	39.5	110.0	100.0	5.0		12.9
	56.3	10.0	○	16.3		29.1	30.0		43.7		94.0	8.0		20.1
	52.3	12.0	○	19.0	92.5	66.5	13.0		25.5		90.0	10.0	○	24.7
	50.3	13.0		20.3	93.0	71.0	11.0		22.2		86.0	12.0	○	29.0
	47.3	14.5		22.1		61.0	16.0		30.4		80.0	15.0	○	35.1
	46.3	15.0	○	22.7		59.2	16.9		31.7		78.0	16.0		37.1
	42.3	17.0		24.9		57.0	18.0		33.3		74.0	18.0	○	40.8
	40.3	18.0	○	25.9		47.0	23.0		39.7		70.0	20.0	○	44.4
	36.3	20.0	○	27.8	95.0	79.0	8.0	○	17.2		60.0	25.0	○	52.4
	26.3	25.0	○	31.6		75.0	10.0	○	21.0		50.0	30.0	○	59.2
77.0	63.0	7.0		12.1		71.0	12.0	○	24.6		40.0	35.0	○	64.7
80.0	68.0	6.0		10.9		65.0	15.0	○	29.6	114.3	105.3	4.5		12.2
	66.0	7.0		12.6		59.0	18.0	○	34.2		100.3	7.0		18.5
	64.0	8.0	○	14.2		55.0	20.0	○	37.0		98.3	8.0	○	21.0
	60.0	10.0	○	17.3		50.0	22.5		40.2		94.3	10.0	○	25.7
	56.0	12.0	○	20.1		45.0	25.0		43.2		90.3	12.0	○	30.3
	50.0	15.0	○	24.0	96.0	80.0	8.0		17.4		87.3	13.5	○	33.6
	44.0	18.0	○	27.5		76.0	10.0	○	21.2		86.3	14.0		34.6
	40.0	20.0	○	29.6		72.0	12.0	○	24.9		84.3	15.0	○	36.7
	30.0	25.0	○	33.9		66.0	15.0	○	30.0		82.3	16.0		38.8
82.6	70.6	6.0	○	11.3		60.0	18.0		34.6		78.3	18.0	○	42.7
	68.6	7.0	○	13.1		56.0	20.0	○	37.5		74.3	20.0	○	46.5
	66.6	8.0	○	14.7		51.0	22.5		40.8		70.3	22.0		50.1
	64.6	9.0		16.3		46.0	25.0	○	43.8		64.3	25.0	○	55.1

※基本サイズ欄に○がついてない材料についてはお問い合わせください。  
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekoken.com

# S45C

加工素材サイズ重量表

外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)
114.3	54.3	30.0	○	62.4	139.8	99.8	20.0	○	59.1	165.2	135.2	15.0	○	55.6
	44.3	35.0	○	68.4		95.8	22.0		63.9		129.2	18.0	○	65.3
118.0	97.0	10.5		27.8		89.8	25.0	○	70.8		125.2	20.0	○	71.6
	96.0	11.0		29.0		83.8	28.0		77.2		115.2	25.0	○	86.4
	91.0	13.5		34.8		79.8	30.0	○	81.2		105.2	30.0	○	100.0
	86.0	16.0		40.2		69.8	35.0	○	90.5		99.2	33.0		107.6
120.0	104.0	8.0		22.1		59.8	40.0	○	98.4		95.2	35.0	○	112.4
	100.0	10.0	○	27.1		53.8	43.0		102.6		89.2	38.0		119.2
	96.0	12.0	○	32.0	145.0	115.0	15.0		48.1		85.2	40.0	○	123.5
	90.0	15.0	○	38.8	146.0	126.0	10.0	○	33.5		75.2	45.0	○	133.4
	84.0	18.0	○	45.3		122.0	12.0	○	39.7		65.2	50.0		142.0
	80.0	20.0	○	49.3		116.0	15.0	○	48.5	168.3	148.3	10.0	○	39.0
	70.0	25.0	○	58.6		110.0	18.0	○	56.8		138.3	15.0	○	56.7
	60.0	30.0	○	66.6		109.0	18.5		58.2		136.3	16.0		60.1
	50.0	35.0	○	73.4		106.0	20.0	○	62.1		132.3	18.0	○	66.7
123.0	106.0	8.5		24.0		102.0	22.0		67.3		128.3	20.0	○	73.1
	101.0	11.0		30.4		100.0	23.0		69.8		122.3	23.0		82.4
	91.0	16.0		42.2		96.0	25.0	○	74.6		118.3	25.0	○	88.3
124.0	96.0	14.0		38.0		86.0	30.0	○	85.8		108.3	30.0	○	102.3
127.0	113.0	7.0		20.7		76.0	35.0	○	95.8		98.3	35.0	○	115.1
	111.0	8.0	○	23.5		66.0	40.0	○	104.6		92.3	38.0		122.1
	107.0	10.0	○	28.9	152.4	136.4	8.0	○	28.5		88.3	40.0	○	126.6
	103.0	12.0	○	34.0		132.4	10.0	○	35.1		78.3	45.0	○	136.8
	97.0	15.0	○	41.4		128.4	12.0	○	41.5	177.8	157.8	10.0	○	41.4
	91.0	18.0	○	48.4		126.4	13.0	○	44.7		155.8	11.0		45.2
	87.0	20.0	○	52.8		122.4	15.0	○	50.8		153.8	12.0	○	49.1
	77.0	25.0	○	62.9		120.4	16.0		53.8		147.8	15.0	○	60.2
	67.0	30.0	○	71.8		116.4	18.0	○	59.7		145.8	16.0		63.8
	57.0	35.0	○	79.4		115.4	18.5		61.1		141.8	18.0	○	70.9
	47.0	40.0		85.8		114.4	19.0		62.5		137.8	20.0	○	77.8
130.0	118.0	6.0	○	18.3		112.4	20.0	○	65.3		127.8	25.0	○	94.2
	114.0	8.0	○	24.1		108.4	22.0		70.7		117.8	30.0	○	109.3
	110.0	10.0	○	29.6		102.4	25.0	○	78.5		107.8	35.0	○	123.3
	106.0	12.0	○	34.9		92.4	30.0	○	90.6		97.8	40.0	○	135.9
	100.0	15.0	○	42.5		87.4	32.5		96.1		87.8	45.0	○	147.4
	94.0	18.0	○	49.7		84.4	34.0		99.3		77.8	50.0		157.6
	90.0	20.0	○	54.3		82.4	35.0	○	101.3	180.0	130.0	25.0		95.6
	80.0	25.0	○	64.7		72.4	40.0	○	110.9		120.0	30.0		111.0
	70.0	30.0	○	74.0		62.4	45.0	○	119.2	185.0	161.0	12.0	○	51.2
	60.0	35.0	○	82.0	159.0	143.0	8.0		29.8		155.0	15.0	○	62.9
	50.0	40.0	○	88.8		141.0	9.0		33.3		149.0	18.0	○	74.1
133.0	101.0	16.0		46.2		139.0	10.0	○	36.7		145.0	20.0	○	81.4
135.0	115.0	10.0	○	30.8		135.0	12.0	○	43.5		135.0	25.0	○	98.6
	111.0	12.0	○	36.4		129.0	15.0	○	53.3		125.0	30.0	○	114.7
	105.0	15.0	○	44.4		126.0	16.5		58.0		115.0	35.0	○	129.5
	99.0	18.0	○	51.9		123.0	18.0	○	62.6		105.0	40.0	○	143.0
	95.0	20.0	○	56.7		119.0	20.0	○	68.6		95.0	45.0		155.4
	85.0	25.0	○	67.8		113.0	23.0		77.1		85.0	50.0		166.5
	75.0	30.0	○	77.7		109.0	25.0	○	82.6	190.7	168.7	11.0		48.7
	65.0	35.0	○	86.3		105.0	27.0		87.9		166.7	12.0	○	52.9
138.0	106.0	16.0		48.1		103.0	28.0		90.5		160.7	15.0	○	65.0
	101.0	18.5		54.5		99.0	30.0	○	95.4		154.7	18.0	○	76.7
139.8	130.8	4.5		15.0		93.0	33.0		102.5		150.7	20.0	○	84.2
	125.8	7.0		22.9		89.0	35.0	○	107.0		144.7	23.0		95.1
	123.8	8.0	○	26.0		79.0	40.0	○	117.4		140.7	25.0	○	102.2
	119.8	10.0	○	32.0		69.0	45.0	○	126.5		130.7	30.0	○	118.9
	115.8	12.0	○	37.8	165.2	153.2	6.0		23.6		120.7	35.0	○	134.4
	109.8	15.0	○	46.2		145.2	10.0	○	38.3		110.7	40.0	○	148.7
	103.8	18.0	○	54.1		141.2	12.0	○	45.3		100.7	45.0	○	161.7

※基本サイズ欄に○がついてない材料についてはお問い合わせください。  
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

# S45C

加工素材サイズ重量表

外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)
190.7	90.7	50.0		173.5	232.0	162.0	35.0	○	170.0	267.4	167.4	50.0	○	268.1
	80.7	55.0		184.0		152.0	40.0	○	189.4		157.4	55.0		288.1
193.7	163.7	15.0		66.1		142.0	45.0	○	207.5		147.4	60.0		306.9
	153.7	20.0	○	85.7		136.0	48.0		217.8	273.1	253.1	10.0		64.9
	143.7	25.0	○	104.0		132.0	50.0	○	224.4		243.1	15.0	○	95.5
200.0	170.0	15.0		68.4		122.0	55.0		240.1		233.1	20.0	○	124.8
	160.0	20.0	○	88.8	241.8	211.8	15.0	○	83.9		223.1	25.0	○	153.0
	150.0	25.0	○	107.9		201.8	20.0	○	109.4		221.1	26.0		158.4
	140.0	30.0	○	125.8		191.8	25.0	○	133.7		213.1	30.0	○	179.8
	130.0	35.0	○	142.4		181.8	30.0	○	156.7		203.1	35.0	○	205.5
	120.0	40.0	○	157.8		171.8	35.0	○	178.5		193.1	40.0	○	229.9
	110.0	45.0	○	172.0		161.8	40.0	○	199.1		183.1	45.0	○	253.1
	100.0	50.0		185.0		151.8	45.0	○	218.4		173.1	50.0		275.1
	90.0	55.0		196.7		141.8	50.0	○	236.5		163.1	55.0		295.8
203.0	123.0	40.0		160.8		131.8	55.0		253.4		153.1	60.0		315.3
205.0	175.0	15.0	○	70.3		121.8	60.0		269.0	280.0	240.0	20.0	○	128.2
	173.0	16.0		74.6	244.5	214.5	15.0	○	84.9		230.0	25.0	○	157.2
	165.0	20.0	○	91.2		204.5	20.0	○	110.7		220.0	30.0	○	185.0
	155.0	25.0	○	111.0		196.5	24.0		130.5		210.0	35.0	○	211.5
	145.0	30.0	○	129.5		194.5	25.0	○	135.3		200.0	40.0	○	236.7
	135.0	35.0	○	146.7		184.5	30.0	○	158.7		190.0	45.0	○	260.8
	125.0	40.0	○	162.8		174.5	35.0	○	180.8		180.0	50.0		283.6
	115.0	45.0		177.6		164.5	40.0	○	201.7	285.0	237.0	24.0		154.5
210.0	160.0	25.0		114.1		154.5	45.0	○	221.4		235.0	25.0	○	160.3
	150.0	30.0	○	133.2		144.5	50.0	○	239.8		225.0	30.0	○	188.6
	140.0	35.0	○	151.0		134.5	55.0		257.0		215.0	35.0	○	215.8
	130.0	40.0	○	167.7		124.5	60.0		273.0		205.0	40.0	○	241.7
	120.0	45.0		183.1	250.0	200.0	25.0	○	138.7		195.0	45.0	○	266.3
	110.0	50.0		197.3		190.0	30.0	○	162.8		185.0	50.0		289.8
	100.0	55.0		210.2		180.0	35.0	○	185.6	298.5	268.5	15.0	○	104.9
216.3	186.3	15.0	○	74.5		170.0	40.0	○	207.1		258.5	20.0	○	137.4
	180.3	18.0	○	88.0		160.0	45.0	○	227.5		248.5	25.0	○	168.6
	179.9	18.2		88.9		150.0	50.0	○	246.6		242.5	28.0		186.8
	176.3	20.0	○	96.8		140.0	55.0		264.5		238.5	30.0	○	198.6
	172.3	22.0		105.4	254.0	224.0	15.0		88.4		228.5	35.0	○	227.4
	170.3	23.0	○	109.6		214.0	20.0	○	115.4		218.5	40.0	○	255.0
	166.3	25.0	○	117.9		204.0	25.0	○	141.2		208.5	45.0	○	281.3
	156.3	30.0	○	137.8		194.0	30.0	○	165.7		198.5	50.0	○	306.4
	146.3	35.0	○	156.5		184.0	35.0	○	189.0		190.5	54.0		325.6
	136.3	40.0	○	173.9		174.0	40.0	○	211.1		188.5	55.0	○	330.3
	126.3	45.0	○	190.1		164.0	45.0	○	231.9		178.5	60.0		352.9
	116.3	50.0	○	205.0		154.0	50.0	○	251.5	302.0	202.0	50.0		310.7
	106.3	55.0		218.8		144.0	55.0		269.9		192.0	55.0		335.0
219.1	195.1	12.0		61.3	257.0	157.0	50.0		255.2		182.0	60.0		358.1
	189.1	15.0	○	75.5		147.0	55.0		274.0		172.0	65.0		379.9
	183.1	18.0		89.3		137.0	60.0		291.5		162.0	70.0		400.5
	179.1	20.0	○	98.2		127.0	65.0		307.8	305.0	275.0	15.0	○	107.3
	169.1	25.0	○	119.7							265.0	20.0	○	140.6
	159.1	30.0	○	139.9	260.0	200.0	30.0	○	170.2		255.0	25.0	○	172.6
	149.1	35.0	○	158.9		190.0	35.0	○	194.2		245.0	30.0		203.4
	139.1	40.0	○	176.7		180.0	40.0	○	217.0		235.0	35.0	○	233.0
	129.1	45.0	○	193.2		170.0	45.0		238.6		229.0	38.0		250.2
	119.1	50.0	○	208.5	267.4	237.4	15.0		93.4		225.0	40.0	○	261.4
						231.4	18.0	○	110.7		215.0	45.0	○	288.5
232.0	202.0	15.0	○	80.3		227.4	20.0	○	122.0		205.0	50.0	○	314.4
	200.0	16.0		85.2		217.4	25.0	○	149.4	318.5	288.5	15.0	○	112.3
	196.0	18.0	○	95.0		207.4	30.0	○	175.6		284.5	17.0		126.4
	192.0	20.0	○	104.6		197.4	35.0	○	200.6		282.5	18.0		133.4
	182.0	25.0	○	127.6		187.4	40.0	○	224.3		278.5	20.0	○	147.2
	172.0	30.0	○	149.4		177.4	45.0	○	246.8					

※基本サイズ欄に○がついてない材料についてはお問い合わせください。  
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

# S45C

加工素材サイズ重量表

外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)	外径 (mm)	内径 (mm)	肉厚 (mm)	基本 サイズ	重量 (kg/m)
318.5	268.5	25.0	○	180.9	365.1	275.1	45.0	○	355.2
	258.5	30.0	○	213.4		265.1	50.0	○	388.5
	252.5	33.0		232.3		255.1	55.0		420.6
	250.5	34.0		238.5		245.1	60.0		451.4
	248.5	35.0	○	244.7		235.1	65.0		481.0
	242.5	38.0		262.9	368.0	288.0	40.0		323.5
	238.5	40.0	○	274.7	381.0	341.0	20.0	○	178.0
	228.5	45.0	○	303.5		331.0	25.0	○	219.5
	218.5	50.0	○	331.1		321.0	30.0	○	259.7
	208.5	55.0	○	357.4		311.0	35.0	○	298.6
	198.5	60.0		382.5		301.0	40.0	○	336.4
	188.5	65.0		406.3		291.0	45.0	○	372.9
323.9	287.9	18.0	○	135.8		281.0	50.0		408.1
	283.9	20.0	○	149.9	406.4	366.4	20.0		190.6
	273.9	25.0	○	184.3		356.4	25.0	○	235.1
	263.9	30.0	○	217.4		346.4	30.0	○	278.5
	253.9	35.0	○	249.3		336.4	35.0	○	320.6
	243.9	40.0	○	280.0		326.4	40.0	○	361.4
	233.9	45.0	○	309.5		316.4	45.0	○	401.0
	223.9	50.0	○	337.7		310.4	48.0		424.2
	213.9	55.0		364.7		306.4	50.0	○	439.4
	203.9	60.0		390.5		296.4	55.0		476.6
	193.9	65.0		415.0		286.4	60.0		512.5
339.7	309.7	15.0	○	120.1		246.4	80.0		643.9
	303.7	18.0		142.8	426.0	396.0	15.0		152.0
	299.7	20.0	○	157.7		376.0	25.0		247.2
	289.7	25.0	○	194.0		366.0	30.0		293.0
	279.7	30.0	○	229.1		356.0	35.0		337.5
	269.7	35.0	○	263.0		346.0	40.0	○	380.8
	259.7	40.0	○	295.6		336.0	45.0	○	422.8
	249.7	45.0	○	327.0		326.0	50.0		463.6
	239.7	50.0	○	357.2					
	229.7	55.0	○	386.1					
	219.7	60.0		413.8					
	209.7	65.0		440.3					
355.6	331.6	12.0		101.7					
	325.6	15.0		126.0					
	315.6	20.0	○	165.5					
	305.6	25.0	○	203.8					
	295.6	30.0	○	240.9					
	285.6	35.0	○	276.7					
	275.6	40.0	○	311.3					
	265.6	45.0	○	344.7					
	255.6	50.0	○	376.8					
	245.6	55.0	○	407.7					
	235.6	60.0	○	437.4					
	229.6	63.0		454.6					
	225.6	65.0		465.8					
365.0	325.0	20.0		170.2					
	315.0	25.0	○	209.6					
	305.0	30.0	○	247.8					
	295.0	35.0	○	284.8					
	285.0	40.0	○	320.6					
	275.0	45.0		355.1					
	265.0	50.0		388.4					
365.1	315.1	25.0	○	209.7					
	305.1	30.0	○	247.9					
	295.1	35.0	○	284.9					
	285.1	40.0	○	320.7					

※基本サイズ欄に○がついてない材料についてはお問い合わせください。  
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com