

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|-------------|------------|------------|-----------|--------------|-------------|------------|------------|-----------|--------------|-------------|------------|------------|-----------|--------------|
| 25.4 | 20.2 | 2.6 | | 1.5 | 31.8 | 7.8 | 12.0 | | 5.9 | 42.7 | 36.7 | 3.0 | | 2.9 |
| | 19.4 | 3.0 | | 1.7 | 34.0 | 28.8 | 2.6 | | 2.0 | | 36.3 | 3.2 | ○ | 3.1 |
| | 19.0 | 3.2 | | 1.8 | | 28.0 | 3.0 | | 2.3 | | 35.7 | 3.5 | ○ | 3.4 |
| | 18.4 | 3.5 | ○ | 1.9 | | 27.6 | 3.2 | ○ | 2.4 | | 34.7 | 4.0 | ○ | 3.8 |
| | 17.4 | 4.0 | ○ | 2.1 | | 27.0 | 3.5 | ○ | 2.6 | | 33.7 | 4.5 | ○ | 4.2 |
| | 16.4 | 4.5 | ○ | 2.3 | | 26.0 | 4.0 | ○ | 3.0 | | 32.7 | 5.0 | ○ | 4.6 |
| | 15.4 | 5.0 | ○ | 2.5 | | 25.0 | 4.5 | ○ | 3.3 | | 32.3 | 5.2 | | 4.8 |
| | 14.4 | 5.5 | | 2.7 | | 24.0 | 5.0 | ○ | 3.6 | | 31.7 | 5.5 | ○ | 5.0 |
| | 13.4 | 6.0 | ○ | 2.9 | | 23.0 | 5.5 | | 3.9 | | 30.7 | 6.0 | ○ | 5.4 |
| | 12.4 | 6.5 | ○ | 3.0 | | 22.0 | 6.0 | ○ | 4.1 | | 29.9 | 6.4 | ○ | 5.7 |
| | 11.4 | 7.0 | | 3.2 | | 21.2 | 6.4 | ○ | 4.4 | | 29.7 | 6.5 | | 5.8 |
| 27.2 | 22.0 | 2.6 | | 1.6 | | 21.0 | 6.5 | | 4.4 | | 28.7 | 7.0 | ○ | 6.2 |
| | 21.2 | 3.0 | ○ | 1.8 | | 20.0 | 7.0 | ○ | 4.7 | | 28.5 | 7.1 | | 6.2 |
| | 20.8 | 3.2 | ○ | 1.9 | | 19.0 | 7.5 | | 4.9 | | 27.7 | 7.5 | | 6.5 |
| | 20.2 | 3.5 | ○ | 2.0 | | 18.0 | 8.0 | ○ | 5.1 | | 26.7 | 8.0 | ○ | 6.8 |
| | 19.2 | 4.0 | ○ | 2.3 | | 16.0 | 9.0 | ○ | 5.5 | | 25.7 | 8.5 | | 7.2 |
| | 18.2 | 4.5 | ○ | 2.5 | | 14.0 | 10.0 | ○ | 5.9 | | 24.7 | 9.0 | ○ | 7.5 |
| | 17.2 | 5.0 | ○ | 2.7 | | 12.0 | 11.0 | | 6.2 | | 22.7 | 10.0 | ○ | 8.1 |
| | 16.2 | 5.5 | ○ | 2.9 | | 10.0 | 12.0 | ○ | 6.5 | | 20.7 | 11.0 | | 8.6 |
| | 15.2 | 6.0 | ○ | 3.1 | 38.1 | 32.9 | 2.6 | | 2.3 | | 18.7 | 12.0 | ○ | 9.1 |
| | 14.2 | 6.5 | ○ | 3.3 | | 32.1 | 3.0 | | 2.6 | | 16.7 | 13.0 | | 9.5 |
| | 13.2 | 7.0 | ○ | 3.5 | | 31.7 | 3.2 | | 2.8 | | 14.7 | 14.0 | | 9.9 |
| | 12.2 | 7.5 | | 3.6 | | 31.1 | 3.5 | ○ | 3.0 | | 12.7 | 15.0 | ○ | 10.2 |
| | 11.2 | 8.0 | ○ | 3.8 | | 30.1 | 4.0 | ○ | 3.4 | 45.0 | 39.8 | 2.6 | | 2.7 |
| | 9.2 | 9.0 | | 4.0 | | 29.1 | 4.5 | ○ | 3.7 | | 39.0 | 3.0 | | 3.1 |
| | 7.2 | 10.0 | | 4.2 | | 28.1 | 5.0 | ○ | 4.1 | | 38.6 | 3.2 | | 3.3 |
| 30.0 | 25.0 | 2.5 | | 1.7 | | 27.1 | 5.5 | | 4.4 | | 38.0 | 3.5 | ○ | 3.6 |
| | 24.8 | 2.6 | | 1.8 | | 26.1 | 6.0 | ○ | 4.7 | | 37.0 | 4.0 | ○ | 4.0 |
| | 24.0 | 3.0 | | 2.0 | | 25.1 | 6.5 | | 5.1 | | 36.0 | 4.5 | ○ | 4.5 |
| | 23.6 | 3.2 | | 2.1 | | 24.1 | 7.0 | ○ | 5.4 | | 35.0 | 5.0 | ○ | 4.9 |
| | 23.0 | 3.5 | | 2.3 | | 23.1 | 7.5 | | 5.7 | | 34.0 | 5.5 | | 5.4 |
| | 22.0 | 4.0 | ○ | 2.6 | | 22.1 | 8.0 | ○ | 5.9 | | 33.0 | 6.0 | ○ | 5.8 |
| | 21.0 | 4.5 | ○ | 2.8 | | 21.1 | 8.5 | | 6.2 | | 32.0 | 6.5 | | 6.2 |
| | 20.0 | 5.0 | ○ | 3.1 | | 20.1 | 9.0 | ○ | 6.5 | | 31.0 | 7.0 | ○ | 6.6 |
| | 19.0 | 5.5 | | 3.3 | | 18.1 | 10.0 | ○ | 6.9 | | 30.0 | 7.5 | | 6.9 |
| | 18.0 | 6.0 | ○ | 3.6 | | 16.1 | 11.0 | | 7.4 | | 29.0 | 8.0 | ○ | 7.3 |
| | 17.0 | 6.5 | | 3.8 | | 14.1 | 12.0 | | 7.7 | | 28.0 | 8.5 | | 7.7 |
| | 16.0 | 7.0 | ○ | 4.0 | | 12.1 | 13.0 | | 8.0 | | 27.0 | 9.0 | ○ | 8.0 |
| | 14.0 | 8.0 | ○ | 4.3 | | 10.1 | 14.0 | | 8.3 | | 25.0 | 10.0 | ○ | 8.6 |
| | 12.0 | 9.0 | | 4.7 | 40.0 | 34.8 | 2.6 | ○ | 2.4 | | 24.0 | 10.5 | | 8.9 |
| | 10.0 | 10.0 | | 4.9 | | 33.6 | 3.2 | | 2.9 | | 21.0 | 12.0 | ○ | 9.8 |
| | 8.0 | 11.0 | | 5.2 | | 33.0 | 3.5 | | 3.2 | | 19.0 | 13.0 | | 10.3 |
| | 6.0 | 12.0 | | 5.3 | | 32.0 | 4.0 | ○ | 3.6 | | 17.0 | 14.0 | | 10.7 |
| 31.8 | 27.2 | 2.3 | | 1.7 | | 31.0 | 4.5 | ○ | 3.9 | | 15.0 | 15.0 | ○ | 11.1 |
| | 26.6 | 2.6 | ○ | 1.9 | | 30.0 | 5.0 | ○ | 4.3 | | 13.0 | 16.0 | | 11.4 |
| | 25.8 | 3.0 | ○ | 2.1 | | 29.0 | 5.5 | | 4.7 | 48.6 | 43.4 | 2.6 | | 2.9 |
| | 25.4 | 3.2 | | 2.3 | | 28.0 | 6.0 | ○ | 5.0 | | 42.6 | 3.0 | | 3.4 |
| | 24.8 | 3.5 | | 2.4 | | 27.0 | 6.5 | | 5.4 | | 42.2 | 3.2 | | 3.6 |
| | 23.8 | 4.0 | ○ | 2.7 | | 26.0 | 7.0 | ○ | 5.7 | | 41.6 | 3.5 | | 3.9 |
| | 22.8 | 4.5 | ○ | 3.0 | | 25.0 | 7.5 | | 6.0 | | 40.6 | 4.0 | ○ | 4.4 |
| | 21.8 | 5.0 | ○ | 3.3 | | 24.0 | 8.0 | ○ | 6.3 | | 39.6 | 4.5 | ○ | 4.9 |
| | 20.8 | 5.5 | ○ | 3.6 | | 23.0 | 8.5 | | 6.6 | | 38.6 | 5.0 | ○ | 5.4 |
| | 19.8 | 6.0 | ○ | 3.8 | | 22.0 | 9.0 | ○ | 6.9 | | 38.4 | 5.1 | ○ | 5.5 |
| | 18.8 | 6.5 | | 4.1 | | 20.0 | 10.0 | ○ | 7.4 | | 37.6 | 5.5 | ○ | 5.8 |
| | 17.8 | 7.0 | ○ | 4.3 | | 18.0 | 11.0 | | 7.9 | | 36.6 | 6.0 | ○ | 6.3 |
| | 15.8 | 8.0 | ○ | 4.7 | | 16.0 | 12.0 | | 8.3 | | 35.6 | 6.5 | | 6.7 |
| | 13.8 | 9.0 | | 5.1 | | 14.0 | 13.0 | | 8.7 | | 34.6 | 7.0 | ○ | 7.2 |
| | 11.8 | 10.0 | | 5.4 | | 12.0 | 14.0 | | 9.0 | | 34.4 | 7.1 | ○ | 7.3 |
| | 9.8 | 11.0 | | 5.6 | 42.7 | 37.5 | 2.6 | ○ | 2.6 | | 32.6 | 8.0 | ○ | 8.0 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekogan.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | |
|-------------|------------|------------|-----------|--------------|-------------|------------|------------|-----------|--------------|-------------|-------------|------------|-----------|--------------|------|
| 48.6 | 30.6 | 9.0 | | 8.8 | 52.0 | 34.0 | 9.0 | | 9.5 | 57.0 | 45.0 | 6.0 | ○ | 7.5 | |
| | 29.6 | 9.5 | | 9.2 | | 32.0 | 10.0 | | 10.4 | | 44.0 | 6.5 | | 8.1 | |
| | 28.6 | 10.0 | ○ | 9.5 | | 30.0 | 11.0 | | 11.1 | | 43.0 | 7.0 | ○ | 8.6 | |
| | 26.6 | 11.0 | ○ | 10.2 | | 28.0 | 12.0 | | 11.8 | | 42.0 | 7.5 | | 9.2 | |
| | 24.6 | 12.0 | ○ | 10.8 | | 26.0 | 13.0 | | 12.5 | | 41.0 | 8.0 | ○ | 9.7 | |
| | 22.6 | 13.0 | | 11.4 | | 24.0 | 14.0 | | 13.1 | | 40.0 | 8.5 | | 10.2 | |
| | 20.6 | 14.0 | | 11.9 | | 22.0 | 15.0 | | 13.7 | | 39.0 | 9.0 | ○ | 10.7 | |
| | 18.6 | 15.0 | ○ | 12.4 | | 16.0 | 18.0 | | 15.1 | | 38.0 | 9.5 | | 11.1 | |
| | 16.6 | 16.0 | | 12.9 | 54.0 | 47.6 | 3.2 | | 4.0 | | 37.0 | 10.0 | ○ | 11.6 | |
| | 12.6 | 18.0 | | 13.6 | | 47.0 | 3.5 | | 4.4 | | 35.0 | 11.0 | | 12.5 | |
| 50.0 | 44.8 | 2.6 | | 3.0 | | 46.0 | 4.0 | ○ | 4.9 | | 33.0 | 12.0 | ○ | 13.3 | |
| | 43.6 | 3.2 | | 3.7 | | 45.0 | 4.5 | ○ | 5.5 | | 31.0 | 13.0 | ○ | 14.1 | |
| | 43.0 | 3.5 | | 4.0 | | 44.0 | 5.0 | ○ | 6.0 | | 29.0 | 14.0 | ○ | 14.8 | |
| | 42.0 | 4.0 | | 4.5 | | 43.0 | 5.5 | ○ | 6.6 | | 27.0 | 15.0 | ○ | 15.5 | |
| | 41.0 | 4.5 | | 5.0 | | 42.0 | 6.0 | ○ | 7.1 | | 25.0 | 16.0 | | 16.2 | |
| | 40.0 | 5.0 | | 5.5 | | 41.0 | 6.5 | | 7.6 | | 23.0 | 17.0 | | 16.8 | |
| | 38.0 | 6.0 | | 6.5 | | 40.2 | 6.9 | | 8.0 | | 21.0 | 18.0 | ○ | 17.3 | |
| | 36.0 | 7.0 | | 7.4 | | 40.0 | 7.0 | ○ | 8.1 | | 19.0 | 19.0 | | 17.8 | |
| | 34.0 | 8.0 | | 8.3 | | 39.0 | 7.5 | | 8.6 | | 17.0 | 20.0 | | 18.2 | |
| | 32.0 | 9.0 | | 9.1 | | 38.0 | 8.0 | ○ | 9.1 | | 60.3 | 52.3 | 4.0 | | 5.6 |
| | 30.0 | 10.0 | | 9.9 | | 37.0 | 8.5 | | 9.5 | | 60.5 | 54.1 | 3.2 | ○ | 4.5 |
| | 28.0 | 11.0 | | 10.6 | | 36.0 | 9.0 | ○ | 10.0 | | | 53.5 | 3.5 | ○ | 4.9 |
| | 26.0 | 12.0 | | 11.2 | | 35.0 | 9.5 | | 10.4 | | | 52.5 | 4.0 | ○ | 5.6 |
| | 24.0 | 13.0 | | 11.9 | | 34.0 | 10.0 | ○ | 10.9 | | | 51.5 | 4.5 | ○ | 6.2 |
| | 22.0 | 14.0 | | 12.4 | | 33.0 | 10.5 | | 11.3 | | | 50.7 | 4.9 | | 6.7 |
| | 20.0 | 15.0 | | 12.9 | | 32.0 | 11.0 | | 11.7 | | | 50.5 | 5.0 | ○ | 6.8 |
| | 18.0 | 16.0 | | 13.4 | | 30.0 | 12.0 | ○ | 12.4 | | | 49.5 | 5.5 | ○ | 7.5 |
| | 14.0 | 18.0 | | 14.2 | | 28.0 | 13.0 | | 13.1 | | | 48.5 | 6.0 | ○ | 8.1 |
| 50.8 | 45.6 | 2.6 | | 3.1 | | 26.0 | 14.0 | ○ | 13.8 | | | 47.5 | 6.5 | | 8.7 |
| | 44.4 | 3.2 | | 3.8 | | 24.0 | 15.0 | ○ | 14.4 | | | 46.5 | 7.0 | ○ | 9.2 |
| | 43.8 | 3.5 | | 4.1 | | 22.0 | 16.0 | | 15.0 | | | 45.5 | 7.5 | | 9.8 |
| | 42.8 | 4.0 | ○ | 4.6 | | 18.0 | 18.0 | ○ | 16.0 | | | 44.5 | 8.0 | ○ | 10.4 |
| | 41.8 | 4.5 | ○ | 5.1 | | 14.0 | 20.0 | | 16.8 | | | 43.5 | 8.5 | | 10.9 |
| | 40.8 | 5.0 | ○ | 5.6 | 55.0 | 48.6 | 3.2 | | 4.1 | | | 43.1 | 8.7 | ○ | 11.1 |
| | 39.8 | 5.5 | ○ | 6.1 | | 48.0 | 3.5 | | 4.4 | | | 42.5 | 9.0 | ○ | 11.4 |
| | 38.8 | 6.0 | ○ | 6.6 | | 47.0 | 4.0 | ○ | 5.0 | | | 40.5 | 10.0 | ○ | 12.5 |
| | 37.8 | 6.5 | | 7.1 | | 46.0 | 4.5 | | 5.6 | | | 38.5 | 11.0 | ○ | 13.4 |
| | 36.8 | 7.0 | ○ | 7.6 | | 45.0 | 5.0 | ○ | 6.2 | | | 36.5 | 12.0 | ○ | 14.4 |
| | 35.8 | 7.5 | | 8.0 | | 44.0 | 5.5 | | 6.7 | | | 34.5 | 13.0 | | 15.2 |
| | 34.8 | 8.0 | ○ | 8.4 | | 43.0 | 6.0 | ○ | 7.3 | | | 32.5 | 14.0 | ○ | 16.1 |
| | 33.8 | 8.5 | | 8.9 | | 42.0 | 6.5 | | 7.8 | | | 30.5 | 15.0 | ○ | 16.8 |
| | 32.8 | 9.0 | ○ | 9.3 | | 41.0 | 7.0 | ○ | 8.3 | | 60.5 | 28.5 | 16.0 | | 17.6 |
| | 31.8 | 9.5 | | 9.7 | | 39.0 | 8.0 | ○ | 9.3 | | | 26.5 | 17.0 | | 18.2 |
| | 30.8 | 10.0 | ○ | 10.1 | | 37.0 | 9.0 | | 10.2 | | | 24.5 | 18.0 | ○ | 18.9 |
| | 29.8 | 10.5 | | 10.4 | | 35.0 | 10.0 | ○ | 11.1 | | | 22.5 | 19.0 | | 19.4 |
| | 28.8 | 11.0 | ○ | 10.8 | | 33.0 | 11.0 | | 11.9 | | | 20.5 | 20.0 | ○ | 20.0 |
| | 26.8 | 12.0 | ○ | 11.5 | | 31.0 | 12.0 | ○ | 12.7 | | 63.5 | 57.1 | 3.2 | | 4.8 |
| | 24.8 | 13.0 | | 12.1 | | 29.0 | 13.0 | | 13.5 | | | 56.5 | 3.5 | | 5.2 |
| | 22.8 | 14.0 | | 12.7 | | 27.0 | 14.0 | | 14.2 | | | 55.5 | 4.0 | ○ | 5.9 |
| | 20.8 | 15.0 | ○ | 13.2 | | 25.0 | 15.0 | ○ | 14.8 | | | 54.5 | 4.5 | ○ | 6.5 |
| | 18.8 | 16.0 | | 13.7 | | 23.0 | 16.0 | | 15.4 | | | 53.5 | 5.0 | ○ | 7.2 |
| | 14.8 | 18.0 | ○ | 14.6 | | 19.0 | 18.0 | ○ | 16.4 | | | 52.5 | 5.5 | | 7.9 |
| 52.0 | 45.6 | 3.2 | | 3.9 | | 15.0 | 20.0 | | 17.3 | | | 51.5 | 6.0 | ○ | 8.5 |
| | 45.0 | 3.5 | | 4.2 | 57.0 | 50.6 | 3.2 | | 4.2 | | | 50.5 | 6.5 | | 9.1 |
| | 44.0 | 4.0 | | 4.7 | | 50.0 | 3.5 | | 4.6 | | | 49.5 | 7.0 | ○ | 9.8 |
| | 42.0 | 5.0 | | 5.8 | | 49.0 | 4.0 | ○ | 5.2 | | | 48.5 | 7.5 | | 10.4 |
| | 40.0 | 6.0 | | 6.8 | | 48.0 | 4.5 | | 5.8 | | | 47.5 | 8.0 | ○ | 10.9 |
| | 38.0 | 7.0 | | 7.8 | | 47.0 | 5.0 | ○ | 6.4 | | | 46.5 | 8.5 | | 11.5 |
| | 36.0 | 8.0 | | 8.7 | | 46.0 | 5.5 | | 7.0 | | | 45.5 | 9.0 | ○ | 12.1 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekoken.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | | |
|-------------|------------|------------|-----------|--------------|-------------|------------|------------|-----------|--------------|-------------|------------|------------|-----------|--------------|------|------|
| 63.5 | 43.5 | 10.0 | ○ | 13.2 | 73.0 | 65.8 | 3.6 | | 6.2 | 80.0 | 70.0 | 5.0 | ○ | 9.2 | | |
| | 41.5 | 11.0 | | 14.2 | | | 65.0 | 4.0 | ○ | | 6.8 | | 69.0 | 5.5 | | 10.1 |
| | 39.5 | 12.0 | ○ | 15.2 | | | 64.0 | 4.5 | ○ | | 7.6 | | 68.0 | 6.0 | ○ | 10.9 |
| | 37.5 | 13.0 | | 16.2 | | | 63.0 | 5.0 | ○ | | 8.4 | | 67.0 | 6.5 | | 11.8 |
| | 35.5 | 14.0 | | 17.1 | | | 62.0 | 5.5 | | | 9.2 | | 66.0 | 7.0 | ○ | 12.6 |
| | 33.5 | 15.0 | ○ | 17.9 | | | 61.0 | 6.0 | ○ | | 9.9 | | 64.0 | 8.0 | ○ | 14.2 |
| | 31.5 | 16.0 | | 18.7 | | | 60.0 | 6.5 | | | 10.7 | | 62.0 | 9.0 | ○ | 15.8 |
| | 27.5 | 18.0 | ○ | 20.2 | | | 59.0 | 7.0 | ○ | | 11.4 | | 60.0 | 10.0 | ○ | 17.3 |
| | 23.5 | 20.0 | ○ | 21.5 | | | 57.0 | 8.0 | ○ | | 12.8 | | 58.0 | 11.0 | | 18.7 |
| 65.0 | 58.6 | 3.2 | | 4.9 | | | 56.0 | 8.5 | | | 13.5 | | 56.0 | 12.0 | ○ | 20.1 |
| | 58.0 | 3.5 | | 5.3 | | | 55.0 | 9.0 | ○ | | 14.2 | | 54.0 | 13.0 | | 21.5 |
| | 57.0 | 4.0 | ○ | 6.0 | | | 53.0 | 10.0 | ○ | | 15.5 | | 52.0 | 14.0 | ○ | 22.8 |
| | 56.0 | 4.5 | ○ | 6.7 | | | 51.0 | 11.0 | | | 16.8 | | 50.0 | 15.0 | ○ | 24.0 |
| | 55.0 | 5.0 | ○ | 7.4 | | | 49.0 | 12.0 | ○ | | 18.1 | | 48.0 | 16.0 | | 25.3 |
| | 54.0 | 5.5 | | 8.1 | | | 47.0 | 13.0 | | | 19.2 | | 44.0 | 18.0 | ○ | 27.5 |
| | 53.0 | 6.0 | ○ | 8.7 | | 46.0 | 13.5 | | 19.8 | | 40.0 | 20.0 | ○ | 29.6 | | |
| | 52.0 | 6.5 | | 9.4 | | 45.0 | 14.0 | | 20.4 | | 36.0 | 22.0 | | 31.5 | | |
| | 51.0 | 7.0 | ○ | 10.0 | | 43.0 | 15.0 | ○ | 21.5 | | 34.0 | 23.0 | | 32.3 | | |
| | 49.0 | 8.0 | ○ | 11.2 | | 41.0 | 16.0 | | 22.5 | | 30.0 | 25.0 | ○ | 33.9 | | |
| | 48.0 | 8.5 | | 11.8 | | 39.0 | 17.0 | | 23.5 | | 20.0 | 30.0 | | 37.0 | | |
| | 47.0 | 9.0 | ○ | 12.4 | | 37.0 | 18.0 | ○ | 24.4 | 82.6 | 75.6 | 3.5 | | 6.8 | | |
| | 45.0 | 10.0 | ○ | 13.6 | | 33.0 | 20.0 | ○ | 26.1 | | | 75.4 | 3.6 | | 7.0 | |
| | 43.0 | 11.0 | | 14.6 | | 29.0 | 22.0 | | 27.7 | | | 74.6 | 4.0 | ○ | 7.8 | |
| | 41.0 | 12.0 | ○ | 15.7 | | 25.0 | 24.0 | | 29.0 | | | 73.6 | 4.5 | ○ | 8.7 | |
| | 39.0 | 13.0 | | 16.7 | | 23.0 | 25.0 | | 29.6 | | | 72.6 | 5.0 | ○ | 9.6 | |
| | 37.0 | 14.0 | ○ | 17.6 | 75.0 | 61.0 | 7.0 | | 11.7 | | | 71.6 | 5.5 | | 10.5 | |
| | 35.0 | 15.0 | ○ | 18.5 | 76.3 | 69.3 | 3.5 | | 6.3 | | | 70.6 | 6.0 | ○ | 11.3 | |
| | 33.0 | 16.0 | | 19.3 | | 68.7 | 3.8 | | 6.8 | | | 69.6 | 6.5 | | 12.2 | |
| | 29.0 | 18.0 | ○ | 20.9 | | 68.3 | 4.0 | ○ | 7.1 | | | 68.6 | 7.0 | ○ | 13.1 | |
| | 25.0 | 20.0 | ○ | 22.2 | | 67.9 | 4.2 | ○ | 7.5 | | | 66.6 | 8.0 | ○ | 14.7 | |
| | 21.0 | 22.0 | | 23.3 | | 67.3 | 4.5 | ○ | 8.0 | | | 65.6 | 8.5 | | 15.5 | |
| 68.1 | 48.1 | 10.0 | | 14.3 | | 66.3 | 5.0 | ○ | 8.8 | | | 64.6 | 9.0 | ○ | 16.3 | |
| 70.0 | 63.6 | 3.2 | | 5.3 | | 65.3 | 5.5 | | 9.6 | | | 62.6 | 10.0 | ○ | 17.9 | |
| | 63.0 | 3.5 | ○ | 5.7 | | 64.3 | 6.0 | ○ | 10.4 | | | 60.6 | 11.0 | | 19.4 | |
| | 62.0 | 4.0 | ○ | 6.5 | | 63.3 | 6.5 | | 11.2 | | | 58.6 | 12.0 | ○ | 20.9 | |
| | 61.0 | 4.5 | ○ | 7.3 | | 62.3 | 7.0 | ○ | 12.0 | | 56.6 | 13.0 | | 22.3 | | |
| | 60.0 | 5.0 | ○ | 8.0 | | 61.3 | 7.5 | | 12.7 | | 54.6 | 14.0 | | 23.7 | | |
| | 59.0 | 5.5 | | 8.7 | | 60.3 | 8.0 | ○ | 13.5 | | 52.6 | 15.0 | ○ | 25.0 | | |
| | 58.0 | 6.0 | ○ | 9.5 | | 59.3 | 8.5 | | 14.2 | | 50.6 | 16.0 | | 26.3 | | |
| | 57.0 | 6.5 | | 10.2 | | 58.3 | 9.0 | ○ | 14.9 | | 46.6 | 18.0 | ○ | 28.7 | | |
| | 56.0 | 7.0 | ○ | 10.9 | | 57.3 | 9.5 | ○ | 15.6 | | 42.6 | 20.0 | ○ | 30.9 | | |
| | 55.0 | 7.5 | | 11.6 | | 56.3 | 10.0 | ○ | 16.3 | | 36.6 | 23.0 | | 33.8 | | |
| | 54.0 | 8.0 | ○ | 12.2 | | 54.3 | 11.0 | | 17.7 | | 34.6 | 24.0 | | 34.7 | | |
| | 53.0 | 8.5 | | 12.9 | | 52.3 | 12.0 | ○ | 19.0 | | 32.6 | 25.0 | ○ | 35.5 | | |
| | 52.0 | 9.0 | ○ | 13.5 | | 50.3 | 13.0 | | 20.3 | | 22.6 | 30.0 | | 38.9 | | |
| | 50.0 | 10.0 | ○ | 14.8 | | 48.3 | 14.0 | ○ | 21.5 | 85.0 | 78.6 | 3.2 | | 6.5 | | |
| | 48.0 | 11.0 | ○ | 16.0 | | 46.3 | 15.0 | ○ | 22.7 | | | 78.0 | 3.5 | ○ | 7.0 | |
| | 46.0 | 12.0 | ○ | 17.2 | | 44.3 | 16.0 | | 23.8 | | | 77.0 | 4.0 | ○ | 8.0 | |
| | 44.0 | 13.0 | ○ | 18.3 | | 42.3 | 17.0 | | 24.9 | | | 76.0 | 4.5 | | 8.9 | |
| | 42.0 | 14.0 | | 19.3 | | 40.3 | 18.0 | ○ | 25.9 | | | 75.0 | 5.0 | ○ | 9.9 | |
| | 40.0 | 15.0 | ○ | 20.3 | | 38.3 | 19.0 | | 26.8 | | | 73.0 | 6.0 | ○ | 11.7 | |
| | 38.0 | 16.0 | | 21.3 | | 36.3 | 20.0 | ○ | 27.8 | | | 71.0 | 7.0 | ○ | 13.5 | |
| | 36.0 | 17.0 | | 22.2 | | 32.3 | 22.0 | | 29.5 | | | 69.0 | 8.0 | ○ | 15.2 | |
| | 34.0 | 18.0 | ○ | 23.1 | | 30.3 | 23.0 | | 30.2 | | | 67.0 | 9.0 | ○ | 16.9 | |
| | 30.0 | 20.0 | ○ | 24.7 | | 26.3 | 25.0 | ○ | 31.6 | | | 65.0 | 10.0 | ○ | 18.5 | |
| | 26.0 | 22.0 | | 26.0 | 80.0 | 69.3 | 3.5 | | 6.6 | | | 63.0 | 11.0 | | 20.1 | |
| | 24.0 | 23.0 | | 26.7 | | | 3.6 | | 6.8 | | | 61.0 | 12.0 | ○ | 21.6 | |
| | 20.0 | 25.0 | | 27.7 | | | 4.0 | ○ | 7.5 | | | 59.0 | 13.0 | | 23.1 | |
| 73.0 | 66.0 | 3.5 | | 6.0 | | | 4.5 | ○ | 8.4 | | | 57.0 | 14.0 | | 24.5 | |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | | | |
|-------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|--------------|--------------|--------------|-----------|--------------|------|------|------|
| 85.0 | 55.0 | 15.0 | ○ | 25.9 | 96.0 | 88.0 | 4.0 | | 9.1 | 105.0 | 73.0 | 16.0 | | 35.1 | | | |
| | 53.0 | 16.0 | | 27.2 | | | 86.0 | 5.0 | | | 11.2 | | 69.0 | 18.0 | ○ | 38.6 | |
| | 49.0 | 18.0 | ○ | 29.7 | | | 84.0 | 6.0 | | | 13.3 | | 65.0 | 20.0 | ○ | 41.9 | |
| | 45.0 | 20.0 | ○ | 32.1 | | | 82.0 | 7.0 | | | 15.4 | | 59.0 | 23.0 | | 46.5 | |
| | 41.0 | 22.0 | | 34.2 | | | 80.0 | 8.0 | ○ | | 17.4 | | 55.0 | 25.0 | ○ | 49.3 | |
| | 39.0 | 23.0 | | 35.2 | | | 78.0 | 9.0 | | | 19.3 | | 49.0 | 28.0 | | 53.2 | |
| | 35.0 | 25.0 | ○ | 37.0 | | | 76.0 | 10.0 | ○ | | 21.2 | | 45.0 | 30.0 | ○ | 55.5 | |
| | 25.0 | 30.0 | ○ | 40.7 | | | 72.0 | 12.0 | ○ | | 24.9 | | 35.0 | 35.0 | | 60.4 | |
| 89.1 | 82.1 | 3.5 | | 7.4 | | | 68.0 | 14.0 | | | 28.3 | 108.0 | 101.0 | 3.5 | | 9.0 | |
| | 81.1 | 4.0 | | 8.4 | | | 66.0 | 15.0 | ○ | | 30.0 | | | 100.0 | 4.0 | | 10.3 |
| | 80.7 | 4.2 | | 8.8 | | | 60.0 | 18.0 | ○ | | 34.6 | | | 98.0 | 5.0 | | 12.7 |
| | 80.1 | 4.5 | ○ | 9.4 | | | 56.0 | 20.0 | ○ | | 37.5 | | | 96.0 | 6.0 | | 15.1 |
| | 79.1 | 5.0 | ○ | 10.4 | | | 50.0 | 23.0 | | | 41.4 | | | 94.0 | 7.0 | | 17.4 |
| | 78.1 | 5.5 | | 11.3 | | | 46.0 | 25.0 | ○ | | 43.8 | | | 92.0 | 8.0 | ○ | 19.7 |
| | 77.1 | 6.0 | ○ | 12.3 | | 36.0 | 30.0 | ○ | 48.8 | | 88.0 | | 10.0 | | 24.2 | | |
| | 76.1 | 6.5 | | 13.2 | | 26.0 | 35.0 | | 52.6 | | 84.0 | | 12.0 | | 28.4 | | |
| | 75.1 | 7.0 | ○ | 14.2 | 101.6 | 94.6 | 3.5 | | 8.5 | | 78.0 | | 15.0 | | 34.4 | | |
| | 73.1 | 8.0 | ○ | 16.0 | | | 93.6 | 4.0 | | 9.6 | | | 72.0 | 18.0 | | 39.9 | |
| | 72.1 | 8.5 | | 16.9 | | | 93.2 | 4.2 | ○ | 10.1 | | | 68.0 | 20.0 | | 43.4 | |
| | 71.1 | 9.0 | ○ | 17.8 | | | 92.6 | 4.5 | ○ | 10.8 | | | 62.0 | 23.0 | | 48.2 | |
| | 70.1 | 9.5 | | 18.6 | | | 91.6 | 5.0 | ○ | 11.9 | | | 58.0 | 25.0 | | 51.2 | |
| | 69.1 | 10.0 | ○ | 19.5 | | | 90.2 | 5.7 | | 13.5 | | | 48.0 | 30.0 | | 57.7 | |
| | 67.1 | 11.0 | | 21.2 | | | 89.6 | 6.0 | ○ | 14.1 | | 38.0 | 35.0 | | 63.0 | | |
| | 66.9 | 11.1 | ○ | 21.4 | | | 87.6 | 7.0 | ○ | 16.3 | 110.0 | 103.0 | 3.5 | | 9.2 | | |
| | 65.1 | 12.0 | ○ | 22.8 | | | 86.6 | 7.5 | | 17.4 | | | 102.0 | 4.0 | | 10.5 | |
| | 63.1 | 13.0 | ○ | 24.4 | | | 85.6 | 8.0 | ○ | 18.5 | | | 101.0 | 4.5 | | 11.7 | |
| | 62.1 | 13.5 | | 25.2 | | | 84.6 | 8.5 | | 19.5 | | | 100.0 | 5.0 | ○ | 12.9 | |
| | 61.1 | 14.0 | | 25.9 | | | 83.6 | 9.0 | ○ | 20.6 | | | 98.0 | 6.0 | ○ | 15.4 | |
| | 59.1 | 15.0 | ○ | 27.4 | | | 81.6 | 10.0 | ○ | 22.6 | | | 96.0 | 7.0 | | 17.8 | |
| | 57.1 | 16.0 | ○ | 28.8 | | | 79.6 | 11.0 | ○ | 24.6 | | | 94.0 | 8.0 | ○ | 20.1 | |
| | 53.1 | 18.0 | ○ | 31.6 | | 77.6 | 12.0 | ○ | 26.5 | | | 92.0 | 9.0 | | 22.4 | | |
| | 49.1 | 20.0 | ○ | 34.1 | | 76.2 | 12.7 | ○ | 27.8 | | | 90.0 | 10.0 | ○ | 24.7 | | |
| | 45.1 | 22.0 | ○ | 36.4 | | 75.6 | 13.0 | | 28.4 | | | 88.0 | 11.0 | | 26.9 | | |
| | 43.1 | 23.0 | | 37.5 | | 73.6 | 14.0 | ○ | 30.2 | | | 86.0 | 12.0 | ○ | 29.0 | | |
| | 39.1 | 25.0 | ○ | 39.5 | | 71.6 | 15.0 | ○ | 32.0 | | | 84.0 | 13.0 | | 31.1 | | |
| | 29.1 | 30.0 | | 43.7 | | 69.6 | 16.0 | ○ | 33.8 | | | 82.0 | 14.0 | | 33.1 | | |
| 95.0 | 88.0 | 3.5 | | 7.9 | | 65.6 | 18.0 | ○ | 37.1 | | | 80.0 | 15.0 | ○ | 35.1 | | |
| | 87.0 | 4.0 | | 9.0 | | 63.6 | 19.0 | | 38.7 | | 78.0 | 16.0 | | 37.1 | | | |
| | 86.0 | 4.5 | | 10.0 | | 61.6 | 20.0 | ○ | 40.2 | | 74.0 | 18.0 | ○ | 40.8 | | | |
| | 85.0 | 5.0 | ○ | 11.1 | | 57.6 | 22.0 | | 43.2 | | 70.0 | 20.0 | ○ | 44.4 | | | |
| | 83.0 | 6.0 | ○ | 13.2 | | 55.6 | 23.0 | ○ | 44.6 | | 66.0 | 22.0 | | 47.7 | | | |
| | 81.0 | 7.0 | ○ | 15.2 | | 51.6 | 25.0 | ○ | 47.2 | | 64.0 | 23.0 | | 49.3 | | | |
| | 79.0 | 8.0 | ○ | 17.2 | | 45.6 | 28.0 | | 50.8 | | 60.0 | 25.0 | ○ | 52.4 | | | |
| | 77.0 | 9.0 | ○ | 19.1 | | 41.6 | 30.0 | ○ | 53.0 | | 56.0 | 27.0 | | 55.3 | | | |
| | 75.0 | 10.0 | ○ | 21.0 | | 31.6 | 35.0 | ○ | 57.5 | | 54.0 | 28.0 | | 56.6 | | | |
| | 73.0 | 11.0 | | 22.8 | 105.0 | 98.0 | 3.5 | | 8.8 | | 50.0 | 30.0 | ○ | 59.2 | | | |
| | 71.0 | 12.0 | ○ | 24.6 | | | 97.0 | 4.0 | | 10.0 | | 40.0 | 35.0 | ○ | 64.7 | | |
| | 69.0 | 13.0 | | 26.3 | | | 96.0 | 4.5 | | 11.2 | 114.3 | 107.3 | 3.5 | | 9.6 | | |
| | 67.0 | 14.0 | | 28.0 | | | 95.0 | 5.0 | ○ | 12.3 | | | 106.3 | 4.0 | | 10.9 | |
| | 65.0 | 15.0 | ○ | 29.6 | | | 93.0 | 6.0 | ○ | 14.6 | | | 105.9 | 4.2 | | 11.4 | |
| | 63.0 | 16.0 | | 31.2 | | | 91.0 | 7.0 | ○ | 16.9 | | | 105.3 | 4.5 | ○ | 12.2 | |
| | 59.0 | 18.0 | ○ | 34.2 | | | 89.0 | 8.0 | ○ | 19.1 | | | 104.3 | 5.0 | ○ | 13.5 | |
| | 55.0 | 20.0 | ○ | 37.0 | | | 87.0 | 9.0 | ○ | 21.3 | | | 102.3 | 6.0 | ○ | 16.0 | |
| | 51.0 | 22.0 | | 39.6 | | | 85.0 | 10.0 | ○ | 23.4 | | | 100.3 | 7.0 | ○ | 18.5 | |
| | 49.0 | 23.0 | | 40.8 | | | 83.0 | 11.0 | | 25.5 | | | 98.3 | 8.0 | ○ | 21.0 | |
| | 47.0 | 24.0 | | 42.0 | | | 81.0 | 12.0 | ○ | 27.5 | | | 96.3 | 9.0 | ○ | 23.4 | |
| | 45.0 | 25.0 | ○ | 43.2 | | | 79.0 | 13.0 | | 29.5 | | | 94.3 | 10.0 | ○ | 25.7 | |
| | 35.0 | 30.0 | | 48.1 | | | 77.0 | 14.0 | | 31.4 | | | 92.3 | 11.0 | | 28.0 | |
| 96.0 | 89.0 | 3.5 | | 8.0 | | | 75.0 | 15.0 | ○ | 33.3 | | | 92.1 | 11.1 | ○ | 28.2 | |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|
| 114.3 | 90.3 | 12.0 | ○ | 30.3 | 125.0 | 78.0 | 23.5 | | 58.8 | 135.0 | 119.0 | 8.0 | ○ | 25.1 |
| | 88.9 | 12.7 | | 31.8 | | 75.0 | 25.0 | | 61.7 | | 117.0 | 9.0 | | 28.0 |
| | 88.3 | 13.0 | | 32.5 | | 65.0 | 30.0 | | 70.3 | | 115.0 | 10.0 | ○ | 30.8 |
| | 87.3 | 13.5 | ○ | 33.6 | 127.0 | 120.0 | 3.5 | | 10.7 | | 113.0 | 11.0 | ○ | 33.6 |
| | 86.7 | 13.8 | | 34.2 | | 119.0 | 4.0 | | 12.1 | | 111.0 | 12.0 | ○ | 36.4 |
| | 86.3 | 14.0 | ○ | 34.6 | | 118.0 | 4.5 | ○ | 13.6 | | 109.0 | 13.0 | | 39.1 |
| | 84.3 | 15.0 | ○ | 36.7 | | 117.0 | 5.0 | ○ | 15.0 | | 107.0 | 14.0 | | 41.8 |
| | 82.3 | 16.0 | ○ | 38.8 | | 115.0 | 6.0 | ○ | 17.9 | | 105.0 | 15.0 | ○ | 44.4 |
| | 80.1 | 17.1 | | 41.0 | | 113.0 | 7.0 | ○ | 20.7 | | 99.0 | 18.0 | ○ | 51.9 |
| | 78.3 | 18.0 | ○ | 42.7 | | 111.0 | 8.0 | ○ | 23.5 | | 95.0 | 20.0 | ○ | 56.7 |
| | 74.3 | 20.0 | ○ | 46.5 | | 109.0 | 9.0 | | 26.2 | | 89.0 | 23.0 | | 63.5 |
| | 72.3 | 21.0 | | 48.3 | | 107.0 | 10.0 | ○ | 28.9 | | 85.0 | 25.0 | ○ | 67.8 |
| | 70.3 | 22.0 | ○ | 50.1 | | 105.0 | 11.0 | | 31.5 | | 75.0 | 30.0 | ○ | 77.7 |
| | 68.3 | 23.0 | | 51.8 | | 103.0 | 12.0 | ○ | 34.0 | | 65.0 | 35.0 | ○ | 86.3 |
| | 64.3 | 25.0 | ○ | 55.1 | | 101.0 | 13.0 | | 36.5 | | 55.0 | 40.0 | | 93.7 |
| | 60.3 | 27.0 | | 58.1 | | 99.0 | 14.0 | | 39.0 | 136.0 | 122.0 | 7.0 | | 22.3 |
| | 58.3 | 28.0 | | 59.6 | | 97.0 | 15.0 | ○ | 41.4 | 137.0 | 121.0 | 8.0 | ○ | 25.4 |
| | 54.3 | 30.0 | ○ | 62.4 | | 95.0 | 16.0 | | 43.8 | 139.8 | 132.8 | 3.5 | | 11.8 |
| | 44.3 | 35.0 | ○ | 68.4 | | 91.0 | 18.0 | ○ | 48.4 | | 131.8 | 4.0 | | 13.4 |
| 118.0 | 102.0 | 8.0 | | 21.7 | | 87.0 | 20.0 | ○ | 52.8 | | 130.8 | 4.5 | | 15.0 |
| 120.0 | 113.0 | 3.5 | | 10.1 | | 81.0 | 23.0 | | 59.0 | | 129.8 | 5.0 | ○ | 16.6 |
| | 112.0 | 4.0 | | 11.4 | | 77.0 | 25.0 | ○ | 62.9 | | 127.8 | 6.0 | ○ | 19.8 |
| | 111.0 | 4.5 | | 12.8 | | 73.0 | 27.0 | | 66.6 | | 125.8 | 7.0 | ○ | 22.9 |
| | 110.0 | 5.0 | ○ | 14.2 | | 67.0 | 30.0 | ○ | 71.8 | | 123.8 | 8.0 | ○ | 26.0 |
| | 108.0 | 6.0 | ○ | 16.9 | | 57.0 | 35.0 | ○ | 79.4 | | 121.8 | 9.0 | ○ | 29.0 |
| | 106.0 | 7.0 | ○ | 19.5 | | 51.0 | 38.0 | | 83.4 | | 119.8 | 10.0 | ○ | 32.0 |
| | 105.0 | 7.5 | | 20.8 | | 47.0 | 40.0 | | 85.8 | | 117.8 | 11.0 | | 34.9 |
| | 104.0 | 8.0 | ○ | 22.1 | 130.0 | 123.0 | 3.5 | | 10.9 | | 115.8 | 12.0 | ○ | 37.8 |
| | 102.0 | 9.0 | | 24.6 | | 122.0 | 4.0 | | 12.4 | | 114.4 | 12.7 | ○ | 39.8 |
| | 100.0 | 10.0 | ○ | 27.1 | | 120.0 | 5.0 | ○ | 15.4 | | 113.8 | 13.0 | | 40.6 |
| | 98.0 | 11.0 | | 29.6 | | 118.0 | 6.0 | ○ | 18.3 | | 111.8 | 14.0 | | 43.4 |
| | 96.0 | 12.0 | ○ | 32.0 | | 117.0 | 6.5 | | 19.8 | | 109.8 | 15.0 | ○ | 46.2 |
| | 94.0 | 13.0 | | 34.3 | | 116.0 | 7.0 | | 21.2 | | 108.0 | 15.9 | ○ | 48.6 |
| | 92.0 | 14.0 | | 36.6 | | 114.0 | 8.0 | ○ | 24.1 | | 107.8 | 16.0 | | 48.8 |
| | 90.0 | 15.0 | ○ | 38.8 | | 112.0 | 9.0 | | 26.9 | | 103.8 | 18.0 | ○ | 54.1 |
| | 88.0 | 16.0 | | 41.0 | | 110.0 | 10.0 | ○ | 29.6 | | 99.8 | 20.0 | ○ | 59.1 |
| | 84.0 | 18.0 | ○ | 45.3 | | 108.0 | 11.0 | | 32.3 | | 97.8 | 21.0 | | 61.5 |
| | 80.0 | 20.0 | ○ | 49.3 | | 106.0 | 12.0 | ○ | 34.9 | | 96.0 | 21.9 | | 63.7 |
| | 76.0 | 22.0 | | 53.2 | | 104.0 | 13.0 | ○ | 37.5 | | 95.8 | 22.0 | ○ | 63.9 |
| | 74.0 | 23.0 | | 55.0 | | 102.0 | 14.0 | | 40.0 | | 93.8 | 23.0 | | 66.2 |
| | 70.0 | 25.0 | ○ | 58.6 | | 100.0 | 15.0 | ○ | 42.5 | | 89.8 | 25.0 | ○ | 70.8 |
| | 64.0 | 28.0 | | 63.5 | | 98.0 | 16.0 | | 45.0 | | 79.8 | 30.0 | ○ | 81.2 |
| | 60.0 | 30.0 | ○ | 66.6 | | 94.0 | 18.0 | ○ | 49.7 | | 69.8 | 35.0 | ○ | 90.5 |
| | 50.0 | 35.0 | | 73.4 | | 90.0 | 20.0 | ○ | 54.3 | | 59.8 | 40.0 | ○ | 98.4 |
| | 40.0 | 40.0 | | 78.9 | | 86.0 | 22.0 | | 58.6 | | 53.8 | 43.0 | | 102.6 |
| 124.0 | 108.0 | 8.0 | | 22.9 | | 84.0 | 23.0 | | 60.7 | | 49.8 | 45.0 | | 105.2 |
| | 80.0 | 22.0 | | 55.3 | | 80.0 | 25.0 | ○ | 64.7 | 141.3 | 127.3 | 7.0 | | 23.2 |
| 125.0 | 117.0 | 4.0 | | 11.9 | | 74.0 | 28.0 | | 70.4 | 143.0 | 127.0 | 8.0 | ○ | 26.6 |
| | 115.0 | 5.0 | | 14.8 | | 70.0 | 30.0 | ○ | 74.0 | 146.0 | 138.0 | 4.0 | | 14.0 |
| | 113.0 | 6.0 | | 17.6 | | 60.0 | 35.0 | ○ | 82.0 | | 136.0 | 5.0 | ○ | 17.4 |
| | 111.0 | 7.0 | | 20.4 | | 50.0 | 40.0 | ○ | 88.8 | | 134.0 | 6.0 | ○ | 20.7 |
| | 109.0 | 8.0 | ○ | 23.1 | 132.0 | 116.0 | 8.0 | | 24.5 | | 132.0 | 7.0 | ○ | 24.0 |
| | 107.0 | 9.0 | | 25.7 | 133.0 | 119.0 | 7.0 | | 21.8 | | 130.0 | 8.0 | ○ | 27.2 |
| | 105.0 | 10.0 | ○ | 28.4 | | 117.0 | 8.0 | | 24.7 | | 128.0 | 9.0 | | 30.4 |
| | 101.0 | 12.0 | | 33.4 | 135.0 | 128.0 | 3.5 | | 11.3 | | 126.0 | 10.0 | ○ | 33.5 |
| | 95.0 | 15.0 | | 40.7 | | 127.0 | 4.0 | | 12.9 | | 124.0 | 11.0 | | 36.6 |
| | 89.0 | 18.0 | | 47.5 | | 125.0 | 5.0 | | 16.0 | | 122.0 | 12.0 | ○ | 39.7 |
| | 85.0 | 20.0 | | 51.8 | | 123.0 | 6.0 | ○ | 19.1 | | 120.0 | 13.0 | | 42.6 |
| | 79.0 | 23.0 | | 57.9 | | 121.0 | 7.0 | | 22.1 | | 118.0 | 14.0 | | 45.6 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|
| 146.0 | 116.0 | 15.0 | ○ | 48.5 | 153.7 | 137.7 | 8.0 | ○ | 28.7 | 165.2 | 151.2 | 7.0 | ○ | 27.3 |
| | 114.0 | 16.0 | | 51.3 | | 135.7 | 9.0 | | 32.1 | | 150.2 | 7.5 | | 29.2 |
| | 110.0 | 18.0 | ○ | 56.8 | | 133.7 | 10.0 | | 35.4 | | 149.2 | 8.0 | ○ | 31.0 |
| | 106.0 | 20.0 | ○ | 62.1 | | 129.7 | 12.0 | | 41.9 | | 146.6 | 9.3 | | 35.8 |
| | 102.0 | 22.0 | | 67.3 | | 123.7 | 15.0 | ○ | 51.3 | | 145.2 | 10.0 | ○ | 38.3 |
| | 100.0 | 23.0 | | 69.8 | | 117.7 | 18.0 | | 60.2 | | 143.2 | 11.0 | ○ | 41.8 |
| | 96.0 | 25.0 | ○ | 74.6 | | 113.7 | 20.0 | ○ | 65.9 | | 141.2 | 12.0 | ○ | 45.3 |
| | 86.0 | 30.0 | ○ | 85.8 | | 107.7 | 23.0 | | 74.1 | | 139.2 | 13.0 | | 48.8 |
| | 76.0 | 35.0 | ○ | 95.8 | | 103.7 | 25.0 | ○ | 79.3 | | 137.2 | 14.0 | | 52.2 |
| | 66.0 | 40.0 | ○ | 104.6 | | 93.7 | 30.0 | ○ | 91.5 | | 136.6 | 14.3 | | 53.2 |
| | 58.0 | 44.0 | | 110.7 | | 83.7 | 35.0 | | 102.4 | | 135.2 | 15.0 | ○ | 55.6 |
| 150.0 | 142.0 | 4.0 | | 14.4 | | 73.7 | 40.0 | | 112.2 | | 133.2 | 16.0 | | 58.9 |
| | 140.0 | 5.0 | | 17.9 | | 65.7 | 44.0 | | 119.0 | | 131.2 | 17.0 | | 62.1 |
| | 138.0 | 6.0 | | 21.3 | | 63.7 | 45.0 | | 120.6 | | 129.2 | 18.0 | ○ | 65.3 |
| | 136.0 | 7.0 | | 24.7 | 154.0 | 144.0 | 5.0 | | 18.4 | | 128.8 | 18.2 | ○ | 66.0 |
| | 134.0 | 8.0 | ○ | 28.0 | | 138.0 | 8.0 | ○ | 28.8 | | 125.2 | 20.0 | ○ | 71.6 |
| | 130.0 | 10.0 | ○ | 34.5 | | 134.0 | 10.0 | ○ | 35.5 | | 121.4 | 21.9 | | 77.4 |
| | 126.0 | 12.0 | ○ | 40.8 | | 130.0 | 12.0 | | 42.0 | | 121.2 | 22.0 | | 77.7 |
| | 122.0 | 14.0 | | 47.0 | | 124.0 | 15.0 | | 51.4 | | 119.2 | 23.0 | | 80.7 |
| | 120.0 | 15.0 | ○ | 49.9 | | 118.0 | 18.0 | | 60.4 | | 115.2 | 25.0 | ○ | 86.4 |
| | 118.0 | 16.0 | | 52.9 | | 114.0 | 20.0 | | 66.1 | | 105.2 | 30.0 | ○ | 100.0 |
| | 114.0 | 18.0 | | 58.6 | | 108.0 | 23.0 | | 74.3 | | 95.2 | 35.0 | ○ | 112.4 |
| | 110.0 | 20.0 | ○ | 64.1 | | 104.0 | 25.0 | | 79.5 | | 85.2 | 40.0 | ○ | 123.5 |
| | 104.0 | 23.0 | | 72.0 | | 94.0 | 30.0 | | 91.7 | | 75.2 | 45.0 | ○ | 133.4 |
| | 100.0 | 25.0 | ○ | 77.1 | | 84.0 | 35.0 | | 102.7 | | 65.2 | 50.0 | | 142.0 |
| | 90.0 | 30.0 | ○ | 88.8 | 156.0 | 140.0 | 8.0 | ○ | 29.2 | 168.3 | 158.3 | 5.0 | | 20.1 |
| | 80.0 | 35.0 | ○ | 99.3 | | 134.0 | 11.0 | | 39.3 | | 156.3 | 6.0 | ○ | 24.0 |
| | 70.0 | 40.0 | | 108.5 | | 130.0 | 13.0 | | 45.8 | | 154.3 | 7.0 | | 27.8 |
| | 62.0 | 44.0 | | 115.0 | | 124.2 | 15.9 | | 54.9 | | 152.3 | 8.0 | ○ | 31.6 |
| 152.4 | 144.0 | 4.2 | | 15.3 | | 116.0 | 20.0 | | 67.1 | | 150.3 | 9.0 | | 35.4 |
| | 143.4 | 4.5 | | 16.4 | | 106.0 | 25.0 | | 80.8 | | 148.3 | 10.0 | ○ | 39.0 |
| | 142.4 | 5.0 | ○ | 18.2 | | 96.0 | 30.0 | | 93.2 | | 146.3 | 11.0 | | 42.7 |
| | 141.4 | 5.5 | | 19.9 | 159.0 | 149.0 | 5.0 | | 19.0 | | 144.3 | 12.0 | ○ | 46.3 |
| | 140.4 | 6.0 | ○ | 21.7 | | 147.0 | 6.0 | ○ | 22.6 | | 142.3 | 13.0 | | 49.8 |
| | 138.4 | 7.0 | | 25.1 | | 145.0 | 7.0 | ○ | 26.2 | | 140.3 | 14.0 | | 53.3 |
| | 136.4 | 8.0 | ○ | 28.5 | | 143.0 | 8.0 | ○ | 29.8 | | 138.3 | 15.0 | ○ | 56.7 |
| | 134.4 | 9.0 | ○ | 31.8 | | 141.0 | 9.0 | | 33.3 | | 136.3 | 16.0 | | 60.1 |
| | 132.4 | 10.0 | ○ | 35.1 | | 139.0 | 10.0 | ○ | 36.7 | | 132.3 | 18.0 | ○ | 66.7 |
| | 130.4 | 11.0 | | 38.4 | | 137.0 | 11.0 | | 40.1 | | 128.3 | 20.0 | ○ | 73.1 |
| | 128.4 | 12.0 | ○ | 41.5 | | 135.0 | 12.0 | ○ | 43.5 | | 124.5 | 21.9 | | 79.1 |
| | 126.4 | 13.0 | | 44.7 | | 133.0 | 13.0 | | 46.8 | | 124.3 | 22.0 | | 79.4 |
| | 124.4 | 14.0 | | 47.8 | | 131.0 | 14.0 | | 50.1 | | 122.3 | 23.0 | | 82.4 |
| | 122.4 | 15.0 | ○ | 50.8 | | 129.0 | 15.0 | ○ | 53.3 | | 118.3 | 25.0 | ○ | 88.3 |
| | 120.4 | 16.0 | | 53.8 | | 127.0 | 16.0 | | 56.4 | | 108.3 | 30.0 | ○ | 102.3 |
| | 116.4 | 18.0 | ○ | 59.7 | | 123.0 | 18.0 | ○ | 62.6 | | 98.3 | 35.0 | ○ | 115.1 |
| | 114.4 | 19.0 | | 62.5 | | 119.0 | 20.0 | ○ | 68.6 | | 88.3 | 40.0 | ○ | 126.6 |
| | 112.4 | 20.0 | ○ | 65.3 | | 115.0 | 22.0 | | 74.3 | | 78.3 | 45.0 | ○ | 136.8 |
| | 108.4 | 22.0 | | 70.7 | | 113.0 | 23.0 | | 77.1 | | 68.3 | 50.0 | ○ | 145.9 |
| | 106.4 | 23.0 | | 73.4 | | 109.0 | 25.0 | ○ | 82.6 | 172.0 | 156.0 | 8.0 | ○ | 32.4 |
| | 102.4 | 25.0 | ○ | 78.5 | | 103.0 | 28.0 | | 90.5 | 175.0 | 159.0 | 8.0 | ○ | 32.9 |
| | 92.4 | 30.0 | ○ | 90.6 | | 99.0 | 30.0 | ○ | 95.4 | 177.8 | 167.8 | 5.0 | | 21.3 |
| | 82.4 | 35.0 | ○ | 101.3 | | 89.0 | 35.0 | ○ | 107.0 | | 165.8 | 6.0 | ○ | 25.4 |
| | 72.4 | 40.0 | ○ | 110.9 | | 79.0 | 40.0 | ○ | 117.4 | | 163.8 | 7.0 | | 29.5 |
| | 64.4 | 44.0 | | 117.6 | | 69.0 | 45.0 | ○ | 126.5 | | 161.8 | 8.0 | ○ | 33.5 |
| | 62.4 | 45.0 | ○ | 119.2 | 160.0 | 146.0 | 7.0 | | 26.4 | | 159.8 | 9.0 | | 37.5 |
| 153.7 | 144.7 | 4.5 | | 16.6 | 163.0 | 147.0 | 8.0 | ○ | 30.6 | | 157.8 | 10.0 | ○ | 41.4 |
| | 143.7 | 5.0 | | 18.3 | 165.2 | 157.2 | 4.0 | | 15.9 | | 153.8 | 12.0 | ○ | 49.1 |
| | 141.7 | 6.0 | | 21.9 | | 155.2 | 5.0 | | 19.8 | | 149.8 | 14.0 | | 56.6 |
| | 139.7 | 7.0 | | 25.3 | | 153.2 | 6.0 | ○ | 23.6 | | 147.8 | 15.0 | ○ | 60.2 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

SHIRASE STEEL PIPE
白瀬鋼管株式会社

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|
| 177.8 | 145.8 | 16.0 | | 63.8 | 190.7 | 166.7 | 12.0 | ○ | 52.9 | 205.0 | 185.0 | 10.0 | ○ | 48.1 |
| | 143.8 | 17.0 | | 67.4 | | 162.7 | 14.0 | | 61.0 | | 181.0 | 12.0 | ○ | 57.1 |
| | 141.8 | 18.0 | ○ | 70.9 | | 160.7 | 15.0 | ○ | 65.0 | | 179.0 | 13.0 | | 61.6 |
| | 137.8 | 20.0 | ○ | 77.8 | | 158.7 | 16.0 | | 68.9 | | 177.0 | 14.0 | | 65.9 |
| | 133.8 | 22.0 | | 84.5 | | 154.7 | 18.0 | ○ | 76.7 | | 175.0 | 15.0 | ○ | 70.3 |
| | 131.8 | 23.0 | | 87.8 | | 150.7 | 20.0 | ○ | 84.2 | | 173.0 | 16.0 | | 74.6 |
| | 127.8 | 25.0 | ○ | 94.2 | | 146.7 | 22.0 | | 91.5 | | 169.0 | 18.0 | ○ | 83.0 |
| | 117.8 | 30.0 | ○ | 109.3 | | 144.7 | 23.0 | | 95.1 | | 165.0 | 20.0 | ○ | 91.2 |
| | 107.8 | 35.0 | ○ | 123.3 | | 140.7 | 25.0 | ○ | 102.2 | | 159.0 | 23.0 | | 103.2 |
| | 97.8 | 40.0 | ○ | 135.9 | | 136.7 | 27.0 | | 109.0 | | 155.0 | 25.0 | ○ | 111.0 |
| | 87.8 | 45.0 | ○ | 147.4 | | 130.7 | 30.0 | ○ | 118.9 | | 145.0 | 30.0 | ○ | 129.5 |
| | 77.8 | 50.0 | | 157.6 | | 120.7 | 35.0 | ○ | 134.4 | | 135.0 | 35.0 | ○ | 146.7 |
| | 67.8 | 55.0 | | 166.6 | | 110.7 | 40.0 | ○ | 148.7 | | 125.0 | 40.0 | ○ | 162.8 |
| 180.0 | 170.0 | 5.0 | | 21.6 | | 100.7 | 45.0 | ○ | 161.7 | | 115.0 | 45.0 | ○ | 177.6 |
| | 168.0 | 6.0 | ○ | 25.7 | | 90.7 | 50.0 | | 173.5 | 207.0 | 191.0 | 8.0 | ○ | 39.3 |
| | 166.0 | 7.0 | | 29.9 | | 80.7 | 55.0 | | 184.0 | 208.0 | 192.0 | 8.0 | | 39.5 |
| | 164.0 | 8.0 | ○ | 33.9 | 193.7 | 181.7 | 6.0 | | 27.8 | | 190.0 | 9.0 | | 44.2 |
| | 160.0 | 10.0 | ○ | 41.9 | | 177.7 | 8.0 | ○ | 36.6 | 210.0 | 194.0 | 8.0 | ○ | 39.9 |
| | 158.0 | 11.0 | | 45.8 | | 173.7 | 10.0 | ○ | 45.3 | | 190.0 | 10.0 | ○ | 49.3 |
| | 156.0 | 12.0 | ○ | 49.7 | | 169.7 | 12.0 | ○ | 53.8 | | 186.0 | 12.0 | ○ | 58.6 |
| | 152.0 | 14.0 | | 57.3 | | 163.7 | 15.0 | ○ | 66.1 | | 180.0 | 15.0 | ○ | 72.1 |
| | 150.0 | 15.0 | ○ | 61.0 | | 157.7 | 18.0 | ○ | 78.0 | | 174.0 | 18.0 | | 85.2 |
| | 148.0 | 16.0 | | 64.7 | | 153.7 | 20.0 | ○ | 85.7 | | 170.0 | 20.0 | ○ | 93.7 |
| | 147.0 | 16.5 | | 66.5 | | 143.7 | 25.0 | ○ | 104.0 | | 164.0 | 23.0 | | 106.1 |
| | 144.0 | 18.0 | ○ | 71.9 | | 133.7 | 30.0 | ○ | 121.1 | | 160.0 | 25.0 | ○ | 114.1 |
| | 140.0 | 20.0 | ○ | 78.9 | | 123.7 | 35.0 | ○ | 137.0 | | 150.0 | 30.0 | ○ | 133.2 |
| | 134.0 | 23.0 | | 89.0 | | 113.7 | 40.0 | ○ | 151.6 | | 140.0 | 35.0 | ○ | 151.0 |
| | 130.0 | 25.0 | ○ | 95.6 | | 103.7 | 45.0 | ○ | 165.0 | | 130.0 | 40.0 | ○ | 167.7 |
| | 120.0 | 30.0 | ○ | 111.0 | | 93.7 | 50.0 | | 177.2 | | 120.0 | 45.0 | | 183.1 |
| | 110.0 | 35.0 | ○ | 125.1 | 196.7 | 180.7 | 8.0 | ○ | 37.2 | 214.0 | 197.0 | 8.5 | ○ | 43.1 |
| | 100.0 | 40.0 | ○ | 138.1 | 200.0 | 188.0 | 6.0 | | 28.7 | 216.3 | 204.3 | 6.0 | | 31.1 |
| | 90.0 | 45.0 | | 149.8 | | 184.0 | 8.0 | ○ | 37.9 | | 202.3 | 7.0 | | 36.1 |
| | 80.0 | 50.0 | | 160.3 | | 180.0 | 10.0 | ○ | 46.9 | | 200.3 | 8.0 | ○ | 41.1 |
| 182.0 | 166.0 | 8.0 | | 34.3 | | 176.0 | 12.0 | ○ | 55.6 | | 199.9 | 8.2 | | 42.1 |
| 185.0 | 175.0 | 5.0 | | 22.2 | | 172.0 | 14.0 | | 64.2 | | 198.3 | 9.0 | | 46.0 |
| | 173.0 | 6.0 | | 26.5 | | 170.0 | 15.0 | ○ | 68.4 | | 196.3 | 10.0 | ○ | 50.9 |
| | 171.0 | 7.0 | | 30.7 | | 164.0 | 18.0 | | 80.8 | | 194.3 | 11.0 | | 55.7 |
| | 169.0 | 8.0 | ○ | 34.9 | | 160.0 | 20.0 | ○ | 88.8 | | 192.3 | 12.0 | ○ | 60.5 |
| | 165.0 | 10.0 | ○ | 43.2 | | 150.0 | 25.0 | ○ | 107.9 | | 190.9 | 12.7 | ○ | 63.8 |
| | 161.0 | 12.0 | ○ | 51.2 | | 140.0 | 30.0 | ○ | 125.8 | | 188.3 | 14.0 | | 69.8 |
| | 155.0 | 15.0 | ○ | 62.9 | | 130.0 | 35.0 | ○ | 142.4 | | 186.3 | 15.0 | ○ | 74.5 |
| | 149.0 | 18.0 | ○ | 74.1 | | 120.0 | 40.0 | ○ | 157.8 | | 184.3 | 16.0 | | 79.0 |
| | 145.0 | 20.0 | ○ | 81.4 | | 110.0 | 45.0 | | 172.0 | | 180.3 | 18.0 | ○ | 88.0 |
| | 139.0 | 23.0 | | 91.9 | | 100.0 | 50.0 | | 185.0 | | 179.9 | 18.2 | ○ | 88.9 |
| | 135.0 | 25.0 | ○ | 98.6 | | 90.0 | 55.0 | | 196.7 | | 176.3 | 20.0 | ○ | 96.8 |
| | 125.0 | 30.0 | ○ | 114.7 | 203.0 | 187.0 | 8.0 | ○ | 38.5 | | 172.3 | 22.0 | | 105.4 |
| | 115.0 | 35.0 | ○ | 129.5 | | 183.0 | 10.0 | ○ | 47.6 | | 170.3 | 23.0 | ○ | 109.6 |
| | 105.0 | 40.0 | ○ | 143.0 | | 179.0 | 12.0 | ○ | 56.5 | | 166.3 | 25.0 | ○ | 117.9 |
| | 95.0 | 45.0 | | 155.4 | | 173.0 | 15.0 | ○ | 69.5 | | 162.3 | 27.0 | | 126.0 |
| | 85.0 | 50.0 | | 166.5 | | 167.0 | 18.0 | ○ | 82.1 | | 160.3 | 28.0 | | 130.0 |
| 187.0 | 171.0 | 8.0 | | 35.3 | | 163.0 | 20.0 | ○ | 90.3 | | 156.3 | 30.0 | ○ | 137.8 |
| 187.7 | 171.7 | 8.0 | ○ | 35.5 | | 153.0 | 25.0 | ○ | 109.7 | | 150.3 | 33.0 | | 149.2 |
| 190.7 | 180.7 | 5.0 | | 22.9 | | 143.0 | 30.0 | ○ | 128.0 | | 146.3 | 35.0 | ○ | 156.5 |
| | 178.7 | 6.0 | ○ | 27.3 | | 133.0 | 35.0 | ○ | 145.0 | | 136.3 | 40.0 | ○ | 173.9 |
| | 176.7 | 7.0 | ○ | 31.7 | | 123.0 | 40.0 | ○ | 160.8 | | 126.3 | 45.0 | ○ | 190.1 |
| | 174.7 | 8.0 | ○ | 36.0 | | 113.0 | 45.0 | | 175.3 | | 116.3 | 50.0 | ○ | 205.0 |
| | 172.7 | 9.0 | | 40.3 | 205.0 | 193.0 | 6.0 | | 29.4 | 219.1 | 207.1 | 6.0 | | 31.5 |
| | 170.7 | 10.0 | ○ | 44.6 | | 191.0 | 7.0 | | 34.2 | | 203.1 | 8.0 | ○ | 41.6 |
| | 168.7 | 11.0 | ○ | 48.7 | | 189.0 | 8.0 | ○ | 38.9 | | 199.1 | 10.0 | ○ | 51.6 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|
| 219.1 | 195.1 | 12.0 | ○ | 61.3 | 236.0 | 200.0 | 18.0 | ○ | 96.8 | 254.0 | 214.0 | 20.0 | ○ | 115.4 |
| | 193.7 | 12.7 | | 64.6 | | 196.0 | 20.0 | ○ | 106.5 | | 204.0 | 25.0 | ○ | 141.2 |
| | 193.1 | 13.0 | | 66.1 | | 192.0 | 22.0 | | 116.1 | | 194.0 | 30.0 | ○ | 165.7 |
| | 191.1 | 14.0 | | 70.8 | | 190.0 | 23.0 | ○ | 120.8 | | 184.0 | 35.0 | ○ | 189.0 |
| | 189.1 | 15.0 | ○ | 75.5 | 241.8 | 191.8 | 25.0 | ○ | 133.7 | | 174.0 | 40.0 | ○ | 211.1 |
| | 187.1 | 16.0 | | 80.1 | | 181.8 | 30.0 | ○ | 156.7 | | 164.0 | 45.0 | ○ | 231.9 |
| | 183.1 | 18.0 | ○ | 89.3 | | 171.8 | 35.0 | ○ | 178.5 | | 154.0 | 50.0 | | 251.5 |
| | 179.1 | 20.0 | ○ | 98.2 | | 161.8 | 40.0 | ○ | 199.1 | | 144.0 | 55.0 | | 269.9 |
| | 173.1 | 23.0 | | 111.2 | | 151.8 | 45.0 | ○ | 218.4 | | 134.0 | 60.0 | | 287.0 |
| | 169.1 | 25.0 | ○ | 119.7 | | 141.8 | 50.0 | | 236.5 | 260.0 | 244.0 | 8.0 | ○ | 49.7 |
| | 163.1 | 28.0 | | 132.0 | | 131.8 | 55.0 | | 253.4 | | 240.0 | 10.0 | | 61.7 |
| | 159.1 | 30.0 | ○ | 139.9 | | 121.8 | 60.0 | | 269.0 | | 236.0 | 12.0 | ○ | 73.4 |
| | 143.1 | 38.0 | | 169.7 | 244.5 | 232.5 | 6.0 | | 35.3 | | 230.0 | 15.0 | ○ | 90.6 |
| | 139.1 | 40.0 | ○ | 176.7 | | 228.5 | 8.0 | ○ | 46.7 | | 224.0 | 18.0 | | 107.4 |
| | 129.1 | 45.0 | ○ | 193.2 | | 226.5 | 9.0 | | 52.3 | | 220.0 | 20.0 | | 118.4 |
| | 119.1 | 50.0 | ○ | 208.5 | | 224.5 | 10.0 | ○ | 57.8 | | 210.0 | 25.0 | ○ | 144.9 |
| 225.0 | 209.0 | 8.0 | | 42.8 | | 220.5 | 12.0 | ○ | 68.8 | | 200.0 | 30.0 | ○ | 170.2 |
| | 207.0 | 9.0 | ○ | 47.9 | | 216.5 | 14.0 | | 79.6 | | 190.0 | 35.0 | | 194.2 |
| | 205.0 | 10.0 | | 53.0 | | 214.5 | 15.0 | ○ | 84.9 | | 180.0 | 40.0 | | 217.0 |
| | 201.0 | 12.0 | | 63.0 | | 212.5 | 16.0 | | 90.2 | | 170.0 | 45.0 | ○ | 238.6 |
| | 195.0 | 15.0 | | 77.7 | | 208.5 | 18.0 | ○ | 100.5 | 267.4 | 255.4 | 6.0 | | 38.7 |
| | 185.0 | 20.0 | | 101.1 | | 204.5 | 20.0 | ○ | 110.7 | | 251.4 | 8.0 | ○ | 51.2 |
| | 175.0 | 25.0 | | 123.3 | | 198.5 | 23.0 | | 125.6 | | 247.4 | 10.0 | ○ | 63.5 |
| | 165.0 | 30.0 | | 144.3 | | 194.5 | 25.0 | ○ | 135.3 | | 243.4 | 12.0 | ○ | 75.6 |
| | 155.0 | 35.0 | | 164.0 | | 184.5 | 30.0 | ○ | 158.7 | | 242.0 | 12.7 | | 79.8 |
| 227.0 | 211.0 | 8.0 | | 43.2 | | 174.5 | 35.0 | ○ | 180.8 | | 239.4 | 14.0 | | 87.5 |
| | 209.0 | 9.0 | ○ | 48.4 | | 164.5 | 40.0 | ○ | 201.7 | | 237.4 | 15.0 | ○ | 93.4 |
| | 207.0 | 10.0 | | 53.5 | | 154.5 | 45.0 | ○ | 221.4 | | 237.2 | 15.1 | | 93.9 |
| 232.0 | 220.0 | 6.0 | | 33.4 | | 144.5 | 50.0 | | 239.8 | | 235.4 | 16.0 | | 99.2 |
| | 218.0 | 7.0 | | 38.8 | | 134.5 | 55.0 | | 257.0 | | 233.4 | 17.0 | | 105.0 |
| | 216.0 | 8.0 | ○ | 44.2 | | 124.5 | 60.0 | | 273.0 | | 231.4 | 18.0 | ○ | 110.7 |
| | 214.0 | 9.0 | ○ | 49.5 | 246.9 | 230.9 | 8.0 | | 47.1 | | 231.0 | 18.2 | | 111.8 |
| | 212.0 | 10.0 | ○ | 54.7 | 250.0 | 234.0 | 8.0 | | 47.7 | | 227.4 | 20.0 | ○ | 122.0 |
| | 208.0 | 12.0 | ○ | 65.1 | | 230.0 | 10.0 | ○ | 59.2 | | 224.6 | 21.4 | ○ | 129.8 |
| | 204.0 | 14.0 | | 75.3 | | 226.0 | 12.0 | ○ | 70.4 | | 223.4 | 22.0 | | 133.1 |
| | 202.0 | 15.0 | ○ | 80.3 | | 220.0 | 15.0 | ○ | 86.9 | | 221.4 | 23.0 | | 138.6 |
| | 200.0 | 16.0 | | 85.2 | | 214.0 | 18.0 | ○ | 103.0 | | 217.4 | 25.0 | ○ | 149.4 |
| | 196.0 | 18.0 | ○ | 95.0 | | 210.0 | 20.0 | ○ | 113.4 | | 216.6 | 25.4 | | 151.6 |
| | 192.0 | 20.0 | ○ | 104.6 | | 200.0 | 25.0 | ○ | 138.7 | | 211.4 | 28.0 | | 165.3 |
| | 188.0 | 22.0 | | 113.9 | | 190.0 | 30.0 | ○ | 162.8 | | 210.2 | 28.6 | ○ | 168.4 |
| | 186.0 | 23.0 | | 118.5 | | 180.0 | 35.0 | | 185.6 | | 207.4 | 30.0 | ○ | 175.6 |
| | 182.0 | 25.0 | ○ | 127.6 | | 170.0 | 40.0 | | 207.1 | | 197.4 | 35.0 | ○ | 200.6 |
| | 172.0 | 30.0 | ○ | 149.4 | | 160.0 | 45.0 | | 227.5 | | 187.4 | 40.0 | ○ | 224.3 |
| | 168.0 | 32.0 | | 157.8 | 250.8 | 230.8 | 10.0 | | 59.4 | | 177.4 | 45.0 | ○ | 246.8 |
| | 162.0 | 35.0 | ○ | 170.0 | | 226.8 | 12.0 | | 70.7 | | 167.4 | 50.0 | ○ | 268.1 |
| | 152.0 | 40.0 | ○ | 189.4 | | 220.8 | 15.0 | | 87.2 | | 157.4 | 55.0 | ○ | 288.1 |
| | 142.0 | 45.0 | ○ | 207.5 | | 214.8 | 18.0 | | 103.3 | | 147.4 | 60.0 | | 306.9 |
| | 136.0 | 48.0 | | 217.8 | | 210.8 | 20.0 | | 113.8 | 270.3 | 258.3 | 6.0 | | 39.1 |
| | 132.0 | 50.0 | | 224.4 | | 200.8 | 25.0 | | 139.2 | | | 10.0 | | 64.2 |
| | 122.0 | 55.0 | | 240.1 | | 190.8 | 30.0 | | 163.3 | | | 12.0 | | 76.4 |
| 236.0 | 218.0 | 9.0 | | 50.4 | | 180.8 | 35.0 | | 186.3 | | | 18.0 | | 112.0 |
| | 224.0 | 6.0 | ○ | 34.0 | | 170.8 | 40.0 | | 207.9 | | | 30.0 | | 177.8 |
| | 220.0 | 8.0 | ○ | 45.0 | | 160.8 | 45.0 | | 228.4 | | | 35.0 | | 203.1 |
| | 218.0 | 9.0 | ○ | 50.4 | | 150.8 | 50.0 | | 247.6 | | | 40.0 | | 227.2 |
| | 216.0 | 10.0 | ○ | 55.7 | 254.0 | 238.0 | 8.0 | ○ | 48.5 | | | 45.0 | | 250.0 |
| | 212.0 | 12.0 | ○ | 66.3 | | 234.0 | 10.0 | ○ | 60.2 | 273.1 | | 6.0 | | 39.5 |
| | 208.0 | 14.0 | | 76.6 | | 230.0 | 12.0 | ○ | 71.6 | | | 8.0 | ○ | 52.3 |
| | 206.0 | 15.0 | ○ | 81.7 | | 224.0 | 15.0 | ○ | 88.4 | | | 10.0 | ○ | 64.9 |
| | 204.0 | 16.0 | | 86.8 | | 218.0 | 18.0 | ○ | 104.8 | | | 12.0 | ○ | 77.3 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekoken.com

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|------------|------------|------------|-----------|--------------|------------|------------|------------|-----------|--------------|------------|------------|------------|-----------|--------------|
| 273.1 | 247.7 | 12.7 | | 81.6 | 298.5 | 214.5 | 42.0 | | 265.7 | 318.5 | 218.5 | 50.0 | ○ | 331.1 |
| | 245.1 | 14.0 | | 89.5 | | 212.5 | 43.0 | | 270.9 | | 208.5 | 55.0 | | 357.4 |
| | 243.1 | 15.0 | ○ | 95.5 | | 208.5 | 45.0 | ○ | 281.3 | | 198.5 | 60.0 | ○ | 382.5 |
| | 241.1 | 16.0 | | 101.4 | | 198.5 | 50.0 | ○ | 306.4 | | 188.5 | 65.0 | | 406.3 |
| | 237.1 | 18.0 | ○ | 113.2 | | 188.5 | 55.0 | ○ | 330.3 | 323.9 | 307.9 | 8.0 | | 62.3 |
| | 235.1 | 19.0 | | 119.1 | | 178.5 | 60.0 | | 352.9 | | 303.9 | 10.0 | ○ | 77.4 |
| | 233.1 | 20.0 | ○ | 124.8 | 302.0 | 202.0 | 50.0 | | 310.7 | | 299.9 | 12.0 | ○ | 92.3 |
| | 227.1 | 23.0 | | 141.9 | | 192.0 | 55.0 | | 335.0 | | 298.5 | 12.7 | | 97.5 |
| | 223.1 | 25.0 | ○ | 153.0 | | 182.0 | 60.0 | | 358.1 | | 295.9 | 14.0 | | 107.0 |
| | 213.1 | 30.0 | ○ | 179.8 | | 172.0 | 65.0 | | 379.9 | | 293.9 | 15.0 | ○ | 114.3 |
| | 203.1 | 35.0 | ○ | 205.5 | | 162.0 | 70.0 | | 400.5 | | 291.9 | 16.0 | | 121.5 |
| | 193.1 | 40.0 | ○ | 229.9 | 305.0 | 285.0 | 10.0 | ○ | 72.7 | | 287.9 | 18.0 | ○ | 135.8 |
| | 183.1 | 45.0 | ○ | 253.1 | | 281.0 | 12.0 | ○ | 86.7 | | 283.9 | 20.0 | ○ | 149.9 |
| | 173.1 | 50.0 | ○ | 275.1 | | 275.0 | 15.0 | ○ | 107.3 | | 277.9 | 23.0 | | 170.7 |
| | 163.1 | 55.0 | | 295.8 | | 269.0 | 18.0 | ○ | 127.4 | | 273.9 | 25.0 | ○ | 184.3 |
| 280.0 | 264.0 | 8.0 | | 53.7 | | 265.0 | 20.0 | ○ | 140.6 | | 263.9 | 30.0 | ○ | 217.4 |
| | 260.0 | 10.0 | ○ | 66.6 | | 259.0 | 23.0 | | 159.9 | | 253.9 | 35.0 | ○ | 249.3 |
| | 256.0 | 12.0 | ○ | 79.3 | | 255.0 | 25.0 | ○ | 172.6 | | 243.9 | 40.0 | ○ | 280.0 |
| | 250.0 | 15.0 | ○ | 98.0 | | 245.0 | 30.0 | ○ | 203.4 | | 233.9 | 45.0 | ○ | 309.5 |
| | 244.0 | 18.0 | | 116.3 | | 235.0 | 35.0 | ○ | 233.0 | | 223.9 | 50.0 | ○ | 337.7 |
| | 240.0 | 20.0 | ○ | 128.2 | | 225.0 | 40.0 | ○ | 261.4 | | 213.9 | 55.0 | ○ | 364.7 |
| | 234.0 | 23.0 | | 145.8 | | 215.0 | 45.0 | ○ | 288.5 | | 203.9 | 60.0 | | 390.5 |
| | 230.0 | 25.0 | ○ | 157.2 | | 205.0 | 50.0 | ○ | 314.4 | 339.7 | 323.7 | 8.0 | ○ | 65.4 |
| | 220.0 | 30.0 | ○ | 185.0 | | 195.0 | 55.0 | | 339.1 | | 319.7 | 10.0 | ○ | 81.3 |
| | 210.0 | 35.0 | ○ | 211.5 | 310.0 | 290.0 | 10.0 | | 74.0 | | 315.7 | 12.0 | ○ | 97.0 |
| | 200.0 | 40.0 | ○ | 236.7 | | 286.0 | 12.0 | | 88.2 | | 311.7 | 14.0 | | 112.4 |
| | 194.0 | 43.0 | | 251.3 | | 280.0 | 15.0 | | 109.1 | | 309.7 | 15.0 | ○ | 120.1 |
| | 190.0 | 45.0 | ○ | 260.8 | | 274.0 | 18.0 | | 129.6 | | 307.7 | 16.0 | | 127.7 |
| | 180.0 | 50.0 | | 283.6 | | 270.0 | 20.0 | | 143.0 | | 303.7 | 18.0 | ○ | 142.8 |
| 285.0 | 265.0 | 10.0 | ○ | 67.8 | | 260.0 | 25.0 | | 175.7 | | 303.7 | 18.0 | ○ | 142.8 |
| | 261.0 | 12.0 | ○ | 80.8 | | 250.0 | 30.0 | | 207.1 | | 299.7 | 20.0 | ○ | 157.7 |
| | 255.0 | 15.0 | ○ | 99.9 | | 240.0 | 35.0 | | 237.4 | | 293.7 | 23.0 | | 179.6 |
| | 249.0 | 18.0 | | 118.5 | | 230.0 | 40.0 | | 266.3 | | 289.7 | 25.0 | ○ | 194.0 |
| | 245.0 | 20.0 | ○ | 130.7 | | 220.0 | 45.0 | | 294.1 | | 279.7 | 30.0 | ○ | 229.1 |
| | 235.0 | 25.0 | ○ | 160.3 | 318.5 | 302.5 | 8.0 | ○ | 61.3 | | 269.7 | 35.0 | ○ | 263.0 |
| | 225.0 | 30.0 | ○ | 188.6 | | 298.5 | 10.0 | ○ | 76.1 | | 259.7 | 40.0 | ○ | 295.6 |
| | 215.0 | 35.0 | ○ | 215.8 | | 296.5 | 11.0 | | 83.4 | | 249.7 | 45.0 | ○ | 327.0 |
| | 205.0 | 40.0 | ○ | 241.7 | | 294.5 | 12.0 | ○ | 90.7 | | 239.7 | 50.0 | ○ | 357.2 |
| | 195.0 | 45.0 | ○ | 266.3 | | 293.1 | 12.7 | | 95.8 | | 229.7 | 55.0 | ○ | 386.1 |
| | 185.0 | 50.0 | ○ | 289.8 | | 290.5 | 14.0 | | 105.1 | | 219.7 | 60.0 | | 413.8 |
| 298.5 | 285.5 | 6.5 | | 46.8 | | 288.5 | 15.0 | ○ | 112.3 | | 209.7 | 65.0 | | 440.3 |
| | 282.5 | 8.0 | ○ | 57.3 | | 286.5 | 16.0 | | 119.4 | 355.6 | 339.6 | 8.0 | | 68.6 |
| | 278.5 | 10.0 | ○ | 71.1 | | 284.5 | 17.0 | | 126.4 | | 335.6 | 10.0 | ○ | 85.2 |
| | 274.5 | 12.0 | ○ | 84.8 | | 282.5 | 18.0 | ○ | 133.4 | | 331.6 | 12.0 | ○ | 101.7 |
| | 272.5 | 13.0 | | 91.5 | | 278.5 | 20.0 | ○ | 147.2 | | 330.2 | 12.7 | | 107.4 |
| | 270.5 | 14.0 | | 98.2 | | 275.7 | 21.4 | ○ | 156.8 | | 327.6 | 14.0 | | 117.9 |
| | 268.5 | 15.0 | ○ | 104.9 | | 272.5 | 23.0 | ○ | 167.6 | | 325.6 | 15.0 | ○ | 126.0 |
| | 266.5 | 16.0 | | 111.5 | | 268.5 | 25.0 | | 180.9 | | 323.6 | 16.0 | | 134.0 |
| | 262.5 | 18.0 | ○ | 124.5 | | 267.7 | 25.4 | | 183.6 | | 319.6 | 18.0 | ○ | 149.9 |
| | 258.5 | 20.0 | ○ | 137.4 | | 262.5 | 28.0 | | 200.6 | | 315.6 | 20.0 | ○ | 165.5 |
| | 252.5 | 23.0 | | 156.3 | | 261.3 | 28.6 | | 204.5 | | 311.6 | 22.0 | | 181.0 |
| | 248.5 | 25.0 | ○ | 168.6 | | 258.5 | 30.0 | ○ | 213.4 | | 309.6 | 23.0 | | 188.6 |
| | 247.7 | 25.4 | | 171.1 | | 252.5 | 33.0 | | 232.3 | | 308.0 | 23.8 | | 194.7 |
| | 244.5 | 27.0 | | 180.8 | | 251.9 | 33.3 | | 234.2 | | 305.6 | 25.0 | ○ | 203.8 |
| | 242.5 | 28.0 | | 186.8 | | 248.5 | 35.0 | ○ | 244.7 | | 300.0 | 27.8 | | 224.7 |
| | 238.5 | 30.0 | ○ | 198.6 | | 244.5 | 37.0 | | 256.8 | | 295.6 | 30.0 | ○ | 240.9 |
| | 232.5 | 33.0 | | 216.1 | | 242.5 | 38.0 | | 262.9 | | 285.6 | 35.0 | ○ | 276.7 |
| | 228.5 | 35.0 | ○ | 227.4 | | 238.5 | 40.0 | ○ | 274.7 | | 275.6 | 40.0 | ○ | 311.3 |
| | 218.5 | 40.0 | ○ | 255.0 | | 228.5 | 45.0 | ○ | 303.5 | | 269.6 | 43.0 | | 331.5 |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekokan.com

SHIRASE STEEL PIPE
白瀬鋼管株式会社

STKM13A

加工素材サイズ重量表

| 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) | 外径 (mm) | 内径 (mm) | 肉厚 (mm) | 基本 サイズ | 重量 (kg/m) |
|--------------|------------|------------|-----------|--------------|--------------|------------|------------|-----------|--------------|
| 355.6 | 265.6 | 45.0 | ○ | 344.7 | 406.4 | 362.4 | 22.0 | | 208.5 |
| | 255.6 | 50.0 | ○ | 376.8 | | 356.4 | 25.0 | ○ | 235.1 |
| | 245.6 | 55.0 | ○ | 407.7 | | 355.6 | 25.4 | ○ | 238.6 |
| | 235.6 | 60.0 | | 437.4 | | 354.6 | 25.9 | | 243.0 |
| | 225.6 | 65.0 | | 465.8 | | 354.0 | 26.2 | ○ | 245.6 |
| 365.0 | 345.0 | 10.0 | | 87.5 | | 346.4 | 30.0 | ○ | 278.5 |
| | 341.0 | 12.0 | | 104.5 | | 344.6 | 30.9 | | 286.1 |
| | 335.0 | 15.0 | ○ | 129.5 | | 336.4 | 35.0 | ○ | 320.6 |
| | 325.0 | 20.0 | ○ | 170.2 | | 326.4 | 40.0 | ○ | 361.4 |
| | 315.0 | 25.0 | ○ | 209.6 | | 325.4 | 40.5 | ○ | 365.4 |
| | 305.0 | 30.0 | ○ | 247.8 | | 316.4 | 45.0 | ○ | 401.0 |
| | 295.0 | 35.0 | ○ | 284.8 | | 306.4 | 50.0 | ○ | 439.4 |
| | 285.0 | 40.0 | ○ | 320.6 | | 296.4 | 55.0 | | 476.6 |
| | 275.0 | 45.0 | ○ | 355.1 | | 286.4 | 60.0 | | 512.5 |
| | 265.0 | 50.0 | ○ | 388.4 | | 276.4 | 65.0 | | 547.2 |
| | 255.0 | 55.0 | | 420.5 | | 266.4 | 70.0 | | 580.7 |
| | 245.0 | 60.0 | | 451.3 | 426.0 | 406.0 | 10.0 | | 102.6 |
| | 235.0 | 65.0 | | 480.9 | | 402.0 | 12.0 | ○ | 122.5 |
| 365.1 | 349.1 | 8.0 | | 70.4 | | 396.0 | 15.0 | ○ | 152.0 |
| | 345.1 | 10.0 | | 87.6 | | 390.0 | 18.0 | ○ | 181.1 |
| | 341.1 | 12.0 | | 104.5 | | 386.0 | 20.0 | ○ | 200.2 |
| | 335.1 | 15.0 | | 129.5 | | 376.0 | 25.0 | ○ | 247.2 |
| | 325.1 | 20.0 | | 170.2 | | 366.0 | 30.0 | ○ | 293.0 |
| | 321.1 | 22.0 | | 186.1 | | 356.0 | 35.0 | ○ | 337.5 |
| | 315.1 | 25.0 | | 209.7 | | 346.0 | 40.0 | ○ | 380.8 |
| | 305.1 | 30.0 | | 247.9 | | 336.0 | 45.0 | ○ | 422.8 |
| | 295.1 | 35.0 | | 284.9 | | 326.0 | 50.0 | ○ | 463.6 |
| | 285.1 | 40.0 | | 320.7 | | 316.0 | 55.0 | | 503.2 |
| | 275.1 | 45.0 | | 355.2 | 432.0 | 412.0 | 10.0 | | 104.1 |
| | 265.1 | 50.0 | | 388.5 | 457.2 | 366.8 | 45.2 | | 459.2 |
| | 255.1 | 55.0 | | 420.6 | | | | | |
| | 245.1 | 60.0 | | 451.4 | | | | | |
| | 235.1 | 65.0 | | 481.0 | | | | | |
| 377.0 | 313.0 | 32.0 | | 272.2 | | | | | |
| 381.0 | 365.0 | 8.0 | | 73.6 | | | | | |
| | 361.0 | 10.0 | ○ | 91.5 | | | | | |
| | 357.0 | 12.0 | ○ | 109.2 | | | | | |
| | 353.0 | 14.0 | | 126.7 | | | | | |
| | 351.0 | 15.0 | ○ | 135.4 | | | | | |
| | 349.0 | 16.0 | | 144.0 | | | | | |
| | 345.0 | 18.0 | ○ | 161.1 | | | | | |
| | 341.0 | 20.0 | ○ | 178.0 | | | | | |
| | 335.0 | 23.0 | | 203.1 | | | | | |
| | 331.0 | 25.0 | ○ | 219.5 | | | | | |
| | 321.0 | 30.0 | ○ | 259.7 | | | | | |
| | 311.0 | 35.0 | ○ | 298.6 | | | | | |
| | 301.0 | 40.0 | ○ | 336.4 | | | | | |
| | 291.0 | 45.0 | ○ | 372.9 | | | | | |
| | 281.0 | 50.0 | ○ | 408.1 | | | | | |
| 406.4 | 387.4 | 9.5 | | 93.0 | | | | | |
| | 386.4 | 10.0 | | 97.8 | | | | | |
| | 382.4 | 12.0 | | 116.7 | | | | | |
| | 381.0 | 12.7 | | 123.3 | | | | | |
| | 376.4 | 15.0 | ○ | 144.8 | | | | | |
| | 373.0 | 16.7 | | 160.5 | | | | | |
| | 370.4 | 18.0 | | 172.4 | | | | | |
| | 366.4 | 20.0 | ○ | 190.6 | | | | | |
| | 363.6 | 21.4 | | 203.2 | | | | | |
| | 362.6 | 21.9 | | 207.7 | | | | | |

※基本サイズ欄に○がついてない材料についてはお問い合わせください。
TEL 03-3332-6166/FAX 03-3332-6167 E-mail: info@shirasekogan.com